Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(search\$4 with (index\$2 or indices)) same file same attachment same server same client and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:21
L2	59	(search\$4 with (index\$2 or indices)) and (file with attachment) and server and client and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:21
L3	2	707/3.ccls. and (search\$4 with (index\$2 or indices)) and (file with attachment) and server and client and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:22
L4	977 588	707/200.ccls. and (search\$4 with (index\$2 or indices)) and (file with attachment) and server and client and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/05/09 11:22
L5	36/60	(search\$4 adj (index\$2 or indices)) same (node\$1 or computer\$2 or server\$2 or cluster\$4 or machine) same (local adj (node\$1 or computer\$2 or server\$2 or cluster\$4 or machine)) and (search adj criteria)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L6	3	(search\$4 adj (index\$2 or indices)) same (node\$1 or computer\$2 or server\$2 or cluster\$4 or machine) same (local adj (node\$1 or computer\$2 or server\$2 or cluster\$4 or machine)) and (search adj criteria) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L7	0	(search\$4 adj (index\$2 or indices)) same server same client and (search adj criteria) and CRM and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L8	10	(search\$4 adj (index\$2 or indices)) same server same client and (search adj criteria) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23

			-			
L9	231	(search\$4 with (index\$2 or indices)) same server same client and identif\$5 and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L10	0	(search\$4 with (index\$2 or indices)) same server same client and identif\$5 and CRM and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L11	0	(search\$4 with (index\$2 or indices)) same server same client and identif\$5 and (customer\$1 adj relation\$5 adj mangement) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/09 11:23
L12	0	(search\$4 with (index\$2 or indices)) same server same client and identif\$5 and (customer\$1 with relation\$5 with management) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L13	4	(search\$4 with (index\$2 or indices)) same server same client and identif\$5 and (customer\$1 same relation\$5 same management) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L14	59	(search\$4 with (index\$2 or indices) with (generat\$5 or creat\$5)) same server same client and identif\$5 and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L15	47	(search\$4 with (index\$2 or indices) with (generat\$5 or creat\$5)) same server same client and identif\$5 and @ad < "20010618" and (business with applica\$5 or component\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L16	6	(search\$4 with (index\$2 or indices) with (generat\$5 or creat\$5)) same server same client and identif\$5 and @ad < "20010618" and (business with (applica\$5 or component\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/05/09 11:23
L17	0	(search\$4 with (index\$2 or indices) with (generat\$5 or creat\$5)) same server same client and (business with component\$2) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23

		LAST Sear		•		
L18	1	(search\$4 with (index\$2 or indices)) same server same client and (business with component\$2) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L19	5	(business adj component) same (search adj index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L20	287	(search\$4 with (index\$2 or indices)) same server same client and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L21	1	(search\$4 with (index\$2 or indices)) same server same client and @ad < "20010618" and (customer adj relation\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L22	3	(search\$4 with (index\$2 or indices)) same server same client and @ad < "20010618" and (customer with relation\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L23	69	((creat\$4 or generat\$5) with search\$4 with (index\$2 or indices)) same server same client and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L24	36031	(spell\$4 or error\$4) with check and @ad < "20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L25	107	(spell\$4 with error\$4) with check and @ad < "20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L26	111	(spell\$4 same error\$4) with check and @ad < "20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L27	23 1:25:15 AM	(spell\$4 same error\$4) with check and web and @ad < "20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23

L28	8	"20020103876" or "20020107779" or "20020073075" or "20010051958"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L29	4	"20020103876" or "20020107779" or "20020073075" or "20010051958"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L30	4973	(search\$4 with client) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L31	314	(search\$4 with client) same (search\$4 with (index\$2 or indices)) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L32	8	(search\$4 with client) same (search\$4 with (index\$2 or indices)) same (download\$4 with (index\$2 or indices)) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L33	0	(search\$4 with (index\$2 or indices)) same (business adj component\$2) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L34	0	(search\$4 with (index\$2 or indices)) same (business adj organization\$2) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L35	0	(search\$4 with (index\$2 or indices)) same (business adj structure\$2) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L36	3	(search\$4 with (index\$2 or indices)) same (business adj enti\$4) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L37	2	(search\$4 with (index\$2 or indices)) same (business with organization) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23

		LAST Searc		•		
L38	287	(search\$4 with (index\$2 or indices)) same server same client and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L39	72	707/3.ccls. and L38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L40	65	707/10.ccls. and L38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L41	9	707/200.ccls. and L38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
L42	23	707/1.ccls. and L38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:23
S1	10	(search\$4 adj (index\$2 or indices)) same (node\$1 or computer\$2 or server\$2 or cluster\$4 or machine) same (local adj (node\$1 or computer\$2 or server\$2 or cluster\$4 or machine)) and (search adj criteria)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 22:21
S2	3	(search\$4 adj (index\$2 or indices)) same (node\$1 or computer\$2 or server\$2 or cluster\$4 or machine) same (local adj (node\$1 or computer\$2 or server\$2 or cluster\$4 or machine)) and (search adj criteria) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 22:22
S3	9	(search\$4 adj (index\$2 or indices)) same server same client and (search adj criteria) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/08/03 22:24
S4	0	(search\$4 adj (index\$2 or indices)) same server same client and (search adj criteria) and CRM and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 22:23

				·		
S5	215	(search\$4 with (index\$2 or indices)) same server same client and identif\$5 and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/08/04 10:32
S6	0	(search\$4 with (index\$2 or indices)) same server same client and identif\$5 and CRM and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 22:25
S7	0	(search\$4 with (index\$2 or indices)) same server same client and identif\$5 and (customer\$1 adj relation\$5 adj mangement) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 22:26
S8	0	(search\$4 with (index\$2 or indices)) same server same client and identif\$5 and (customer\$1 with relation\$5 with management) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 22:26
S9	4	(search\$4 with (index\$2 or indices)) same server same client and identif\$5 and (customer\$1 same relation\$5 same management) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 22:26
\$10 ,	55	(search\$4 with (index\$2 or indices) with (generat\$5 or creat\$5)) same server same client and identif\$5 and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:48
S11	43	(search\$4 with (index\$2 or indices) with (generat\$5 or creat\$5)) same server same client and identif\$5 and @ad < "20010618" and (business with applica\$5 or component\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:38
S12	3	(search\$4 with (index\$2 or indices) with (generat\$5 or creat\$5)) same server same client and identif\$5 and @ad < "20010618" and (business with (applica\$5 or component\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:41
S13	0	(search\$4 with (index\$2 or indices) with (generat\$5 or creat\$5)) same server same client and (business with component\$2) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:49

S14	1	(search\$4 with (index\$2 or indices)) same server same client and (business with component\$2) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 14:07		
S15	5	(business adj component) same (search adj index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 10:51		
S16	269	(search\$4 with (index\$2 or indices)) same server same client and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 18:32		
S17	1	(search\$4 with (index\$2 or indices)) same server same client and @ad < "20010618" and (customer adj relation\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:52		
S18	2	(search\$4 with (index\$2 or indices)) same server same client and @ad < "20010618" and (customer with relation\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 11:52		
S19	64	((creat\$4 or generat\$5) with search\$4 with (index\$2 or indices)) same server same client and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:34		
S20	35206	(spell\$4 or error\$4) with check and @ad < "20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/08/04 12:37		
S21	101	(spell\$4 with error\$4) with check and @ad < "20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:37		
S22	· 105	(spell\$4 same error\$4) with check and @ad < "20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 12:37		
S23	17	(spell\$4 same error\$4) with check and web and @ad < "20020103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 13:11		

S24	8	"20020103876" or "20020107779" or "20020073075" or "20010051958"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 13:12
S25	4	"20020103876" or "20020107779" or "20020073075" or "20010051958"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 13:12
S26	4710	(search\$4 with client) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 13:47
S27	298	(search\$4 with client) same (search\$4 with (index\$2 or indices)) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 13:48
S28	8	(search\$4 with client) same (search\$4 with (index\$2 or indices)) same (download\$4 with (index\$2 or indices)) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 13:49
S29	0	(search\$4 with (index\$2 or indices)) same (business adj component\$2) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 15:12
S30	0	(search\$4 with (index\$2 or indices)) same (business adj organization\$2) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 15:13
S31	0	(search\$4 with (index\$2 or indices)) same (business adj structure\$2) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 15:13
S32	3	(search\$4 with (index\$2 or indices)) same (business adj enti\$4) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 15:19
S33	1	(search\$4 with (index\$2 or indices)) same (business with organization) and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 15:19

-	250	(110 000110	00	011	
S34	269	(search\$4 with (index\$2 or indices)) same server same client and @ad < "20010618"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/09 11:20
S35	70	707/3.ccls. and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 18:33
S36	62	707/10.ccls. and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 18:33
S37	8	707/200.ccls. and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 18:33
S38	23	707/1.ccls. and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/09 18:33

5/9/06 11:25:15 AM C:\Documents and Settings\KLu\My Documents\EAST\Workspaces\09883776a.wsp

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	("searchadj(index\$2orindic\$3)"). PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2003/11/21 12:02
S2	0	("searchwith(index\$2orindic\$3)"). PN.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2003/11/21 12:03
S3	912	search adj (index\$2 or indices)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 14:10
S4	14	(search adj (index\$2 or indices)) and (download\$3 same (node\$1 or computer\$2 or server\$2 or cluster\$4 or machine)) same (local adj (node\$1 or computer\$2 or server\$2 or cluster\$4 or machine))	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/21 12:18
S5	175	(search adj (index\$2 or indices)) and (download\$3 same (node\$1 or computer\$2 or server\$2 or cluster\$4))	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 11:10
S6	2	(search adj (index\$2 or indices)) and (download\$3 same (node\$1 or computer\$2 or server\$2 or cluster\$4 or machine)) same (local adj (node\$1 or computer\$2 or server\$2 or cluster\$4 or machine)) and (search adj criteria)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/21 12:18
S7	57	(search adj (index\$2 or indices)) and (download\$3 same (node\$1 or computer\$2 or server\$2 or cluster\$4)) and (search adj criteria) and (nodes or computers or servers or cluster or machines)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 08:16
S8	36	(search adj (index\$2 or indices)) and (download\$3 same (node\$1 or computer\$2 or server\$2 or cluster\$4)) and (search adj criteria) and (nodes or computers or servers or cluster or machines) and (local same remote)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/21 12:21
S9	1	"6334124".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 08:17
S10	, o	(search adj (index\$2 or indices)) same (download\$3 near1 ((index or indice\$2) adj file))	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 10:32

S11	10	(download\$3 near1 ((index or indice\$2) adj file))	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 10:32
S12	0	(search adj (index\$2 or indices)) same (download\$3 adj ((index or indice\$2) adj file))	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 10:32
S13		(search adj (index\$2 or indices)) same (download\$3 near1 ((index or indice\$2) adj file))	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 10:32
S14	0	(download\$3 near1 ((index or indice\$2) adj file)) same (search adj index)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 10:33
S15	52	(search adj (index\$2 or indices)) and (download\$3 same (node\$1 or computer\$2 or server\$2 or cluster\$4)) and (index adj file)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 11:38
S16	2	((compress\$3 or un\$compress\$3) and download\$3) with (index adj file)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 11:40
S17	56	((compress\$3 or un\$compress\$3) and download\$3) with (index)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 12:06
S18	2	((compress\$3 or un\$compress\$3) and download\$3) with (index near file)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 12:05
S19	0	((compress\$3 or un\$compress\$3) and download\$3) with (index) same search same server same client	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 12:35
S20	5	((compress\$3 or un\$compress\$3) and download\$3) with (index) same search	US-PGPUB; USPAT; JPO	OR .	OFF	2003/11/24 12:40
S21	, 2	((compress\$3 or de\$1compress or un\$1compress\$3) and download\$3) with (index near (table or file)) same search	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 12:50
S22	5	((compress\$3 or de\$1compress or un\$1compress\$3) and download\$3) with (index) same search	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 13:58
S23	167	707/3.ccls. and (search adj (index\$2 or indices))	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 14:11
S24	6	707/3.ccls. and (search adj (index\$2 or indices) adj file)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/26 18:10

			-			
S25	1	707/1.ccls. and (search adj (index\$2 or indices) adj file)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 14:14
S26	0	707/200.ccls. and (search adj (index\$2 or indices) adj file)	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/24 14:14
S27	1	"6334124".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2003/11/26 18:10
S28	0	"09/883776"	US-PGPUB; USPAT; JPO	OR	OFF	2004/06/11 21:45
S29	0	"Jian-Jung Ying"	US-PGPUB; USPAT; JPO	OR	OFF	2004/06/11 21:45
S30	3	"Jian-Jung" same "Ying"	US-PGPUB; USPAT; JPO	OR	OFF	2004/06/11 21:45
S31	0	"Srirama Channavajjala"	US-PGPUB; USPAT; JPO	OR	OFF	2004/06/12 09:24
S32	0	"Srirama Cha"	US-PGPUB; USPAT; JPO	OR	OFF	2004/06/12 09:24
S33	137	"Srirama" same "Channavajjala"	US-PGPUB; USPAT; JPO	OR	OFF	2004/06/12 09:24
S34	559	form\$4 near2 (relational adj database)	US-PGPUB; USPAT; JPO	OR	OFF	2004/06/12 09:49
S35	1	"09/863,794"	US-PGPUB; USPAT; JPO	OR	OFF	2004/06/12 14:04
S36	2	"20020116371" or "20020123993"	US-PGPUB; USPAT; JPO	OR	OFF	2004/06/12 14:04
S37	1	"09/962277"	US-PGPUB; USPAT; JPO	OR	OFF	2004/06/13 12:23
S38	1	"09/861,217"	US-PGPUB; USPAT; JPO	OR	OFF	2004/06/13 12:23
S39	2	"6546385"	US-PGPUB; USPAT; JPO	OR _.	OFF	2005/08/04 16:35

S40	1	"6546385".pn.	US-PGPUB; USPAT; JPO	OR	OFF	2005/08/04 16:35
S41	1	"20020156769"	US-PGPUB; USPAT; JPO	OR	OFF	2005/08/04 17:35

5/9/06 11:19:50 AM C:\Documents and Settings\KLu\My Documents\EAST\Workspaces\09883776.wsp

Sign in



Web Images Groups News Froogle Maps more

client business components search "index ide Search Preferences

Web Results 1 - 92 of about 133 for client business components search "index identifier". (0.71 seconds)

[PDF] Business Transformation Success Stories

File Format: PDF/Adobe Acrobat - View as HTML

enable corporate **client business**, but also to deliver the right data to the. customer. ... elnsight, SeeBeyond's **business** process management **component**, we ...

www.sun.com/solutions/documents/ successstories/tr_EMEAA5USCSB_bb.pdf?facet=-1 - <u>Similar pages</u> Sponsored Links

Business Search

Get company contact info & news. Do **business** Research at Hoover's. www.Hoovers.com

[PDF] 413 A

File Format: PDF/Adobe Acrobat - View as HTML

business logic, 223. client-server application, 221. community services, 217. content

management. messages, 232. content search, 227 ...

www.awprofessional.com/content/ images/0201767325/index/leufindex.pdf - Similar pages

HOLLIS Newsletter, Volume 9, Number 11 (November 1994)

Search using the index identifier KW to retrieve information in this field. ... It is also a component of the OCLC SiteSearch software package Harvard is ... hul.harvard.edu/ois/news/hnl/issues/1994/11/index.html - 43k - Cached - Similar pages

Amigos-Now Internet Mailing List Posting for August 23, 2005

With the upload **component** of ResearchNow activated, a library can submit papers and ... For Connexion **client** 1.30 and 1.40, validation will no longer occur ... www.amigos.org/list/2005/082305.html - 26k - <u>Cached</u> - <u>Similar pages</u>

Identifier vocabulary data access method and system - Patent 6826566 8 The Client updates the display of the ItemSelector Vocabulary, ... Although for fastest access the index identifier i, is also the ID number of the ...

www.freepatentsonline.com/6826566.html - 290k - Cached - Similar pages

Dynamic client registry apparatus and method - Patent 6026430

A registry to organize information from **client** entities on different networks ... Anonymous, "Check point software enables secure **business** over the internet ... www.freepatentsonline.com/6026430.html - 160k - <u>Cached</u> - <u>Similar pages</u> [More results from www.freepatentsonline.com]

[PDF] Agenda

File Format: PDF/Adobe Acrobat - View as HTML

00117 Phone Number - Business ... What is the Enterprise Member Index identifier? PID

2 ... •At runtime, the Client is able to define the exact search ...

www.cihi.ca/cihiweb/en/downloads/v2xIntro_e - Similar pages

EP1021767 Pfn european software patent - Client side ...

EP1021767 Pfn inc (US): **Client** side communications server apparatus and ... Internal corporate networks may have highly confidential **business** files on the ... gauss.ffii.org/PatentView/EP1021767 - 164k - <u>Cached</u> - <u>Similar pages</u>

EP1019850 Pfn european software patent - Dynamic client registry ...

Internal corporate networks may have highly confidential **business** files on the ... The DistributedObject has four **components** that make it up: the origin, ...

gauss.ffii.org/PatentView/EP1019850 - 160k - <u>Cached</u> - <u>Similar pages</u> [<u>More results from gauss.ffii.org</u>]

SQL Server 7.0: Server Architecture

TDS 4.2 sent by clients running SQL Server client components from SQL Server ... Any user who has a per-seat Client Access License for the Small Business ... https://www.netscum.dk/technet/prodtechnol/sql/70/proddocs/intro/part3/75515c09.mspx - 164k - Cached - Similar pages

SAP Technical Journal--Dr. ABAP

For this reason, a condition with the actual client code (here MANDT = '000') is added to every WHERE clause if a client field is a component of the ... www.intelligenterp.com/columns/archive/abap4.jhtml - 66k - Cached - Similar pages

SAP Technical Journal--Dr. ABAP

... is added to every WHERE clause if a client field is a component of the searched table.

... For the primary index, 0 is reserved as the index identifier. ... www.intelligententerprise.com/channels/ applications/columns/archive/abap4.jhtml?

_requestid=59572 - 60k - Cached - Similar pages

SQL Server 7.0: Database Architecture

The data in a database is organized into the logical **components** visible to users. ... The results do not have to be returned to the **client** to have the ... www.microsoft.com/technet/prodtechnol/ sql/70/proddocs/intro/part3/75515c08.mspx - 189k - Cached - Similar pages

[PDF] CRSP Utilities Guide

File Format: PDF/Adobe Acrobat - View as HTML

CRSP data may also be used in **client** newsletters, marketing, and education ... Graduate School of **Business**. CRSP, a premier historical data provider is ... www.coba.unt.edu/firel/data/stock_ind_utilities.pdf - <u>Similar pages</u>

[PDF] COPYRIGHTED MATERIAL

File Format: PDF/Adobe Acrobat - View as HTML

client-server databases, 28. clients. Configuration Manager for, 55–56, 55–56 ... index identifier column, 346. Index tab, 50, 50. indexed views, 380–381 ...

media.wiley.com/product_data/ excerpt/06/07821438/0782143806-2.pdf - Similar pages

[PDF] COPYRIGHTED MATERIAL

File Format: PDF/Adobe Acrobat - View as HTML

Mseqgrqb.ocx file, 1084. MSRemote OLE DB provider, 902. MSSearch (Microsoft Search Service), 72, 217. MSSQLServer service, 72, 627. as MAPI client, 671 ...

media.wiley.com/product_data/ excerpt/78/07821262/0782126278-2.pdf - Similar pages

[PDF] CRSP Utilities Guide

File Format: PDF/Adobe Acrobat - View as HTML

data may also be used in **client** newsletters, marketing, and education ... A **search** with the dindsearch and mindsearch utilities can be used to find ...

www.som.yale.edu/itg/research_unix/ pdf/stock_ind_utilities.pdf - Similar pages

[PDF] CRSP ccess Database Format Utilities Guide

File Format: PDF/Adobe Acrobat

consulting projects, your client may either subscribe to a CRSP database or request a custom ... the **search** utilities will function with that database. ... www.som.yale.edu/itg/research_unix/pdf/utilities.pdf - <u>Similar pages</u>

(PDF) Untitled

File Format: PDF/Adobe Acrobat

Client lists for business services. • Call centres for marketing ... Any body can do a search on the business registration. information. ... www.lio.mnr.gov.on.ca/spectrasites/ internet/lio/media/documents/EmploymentData.pdf - Similar pages

Glossary translated in Hindi Copyright CDAC(Formerly NCST) 2003 ...

... object वस्तु में क्लिक करना Client ग्राहक Clipart ... शीर्षक Index identifier अनुक्रमणी अइडेन्टिफयर ...

hi.openoffice.org/OOG_Hindi.txt - 362k - Cached - Similar pages

Glossary Translated in Tamil Copyright CDAC(Formerly NCST) 2003 Click object இலக்கைச் சொடுக்கு Client ஆதரவாளர் ... தலைப்பு Index identifier சுட்டு அடையாளம் Index Link ... hi.openoffice.org/OOG_Tamil.txt - 422k - Cached - Similar pages

[PDF] Developer's Guide Foundation Foundation DMS 2005 09 30

File Format: PDF/Adobe Acrobat - View as HTML

Note: client components are shown in shades of blue, common components are ... elements in the business list can be accessed by index, identifier, or code. ... www.foundationdms.com/developers/ documentation/DevelopersGuide.pdf - Similar pages

[PDF] Ingres 2006 RMS Gateway User Guide

File Format: PDF/Adobe Acrobat - View as HTML

Connecting to an RMS Gateway Database with an Ingres Component. ... The RMS gateway server performs a primary key search to match all records ... downloads.ingres.com/download/rms.pdf - Similar pages

[PDF] Ingres 2006 Database Administrator Guide

File Format: PDF/Adobe Acrobat

reltidx, a unique **index identifier** associated with each base table ... requires the **client** user to have the security privilege or be the user who ... downloads.ingres.com/download/dba.pdf - <u>Similar pages</u>

United States Patent: 5884035

A dynamic group registry for organizing information created by a **client** ... ClarkNet **Business** Solutions, Point to ISDN service--Published on Internet. patft1.uspto.gov/netacgi/nph-Parser?Sect1=PTO2& Sect2=HITOFF&p=1&u=% 2Fnetahtml%25%2FPTO%25%2Fs... - 154k - <u>Cached</u> - <u>Similar pages</u>

United States Patent: 5870562

ClarkNet **Business** Solutions Point to ISDN service—Published on Internet. a **client** side communications server program which, when loaded by the web ... patft1.uspto.gov/netacgi/nph-Parser?Sect2=PTO1& Sect2=HITOFF&p=1&u=% 2Fnetahtml%25%2FPTO%25%2Fs... - 166k - <u>Cached</u> - <u>Similar pages</u> [More results from patft1.uspto.gov]

[PDF] IBM Informix SNMP Subagent Guide

File Format: PDF/Adobe Acrobat - View as HTML

component has a corresponding subagent and MIBs. SNMP does not specify ... Use the grep command to search /etc/services for snmp. The output ... publib.boulder.ibm.com/infocenter/ idshelp/v10/topic/com.ibm.pdfs.doc/25122980.pdf - Similar pages

[PDF] IBM Tivoli Monitoring for Databases: Microsoft SQL Server ...

File Format: PDF/Adobe Acrobat

Microsoft SQL Server client applications. The service effectively allocates, computer resources between multiple concurrent users. It also enforces business ... publib.boulder.ibm.com/tividd/ td/ITMD/SC23-4852-00/en_US/PDF/mssql511rg.pdf -

Similar pages

OpenOffice.org

components listed below. komponente navedene ispod. Compressed, Kompresovano ... Index identifier, Indeksiraj identifikator. Index Link, Indeksiraj vezu ... I10n.linux.org.ba/ooo/glossary.html - 977k - Cached - Similar pages

[PDF] REVIEW OF INFORMATION ON HOMICIDE: A DISCUSSION DOCUMENT December 2001

File Format: PDF/Adobe Acrobat

Business associate. Emotional rival (not elsewhere specified). Criminal associate.

Prostitute/client. Customer/ client. Carer, health worker/ patient ... www.homeoffice.gov.uk/rds/pdfs/provhomicideinfo.pdf - Similar pages

The FIX Protocol Organization > Technical Resources / Specifications

Specifies that the **client** wishes to sell all holdings relating to the combination ... A value of Y indicates the trade is a **component** of a multi-part order ... www.fixprotocol.org/specifications/fields/5000-9999 - 556k - <u>Cached</u> - <u>Similar pages</u>

[PDF] Transaction support for indexed summary views

File Format: PDF/Adobe Acrobat

tion propagation from business operations to summarized, databases for decision support.

... virtual log records are sorted, eg, by index identifier and ...

portal.acm.org/ft_gateway.cfm?id=1007606&

type=pdf&coll=ACM&dl=ACM&CFID=15151515&CFTOK... - Similar pages

Glossari de l'OpenOffice.org - Wiki de Softcatalà

components listed below. : els components es relacionen més avall. * Compressed : Comprimit ... Continue search backwards : Continua la cerca cap enrere ... www.softcatala.org/wiki/ Glossari_de_l'OpenOffice.org - 352k - Cached - Similar pages

Softcatalà

CTX: Glossari OpenOffice (1020) "components listed below. ... CTX: Glossari OpenOffice (2964) "Index identifier" "Identificador de l'índex" ... www.softcatala.org/projectes/openoffice/glossari.htm - 544k - Cached - Similar pages

Slashdot | Python in a Nutshell

"OK, so no serious **business** is going to even consider Gentoo in the near future, ... However, I'm not going to berate a **client** simply because they insist on ... books slashdot.org/article.pl?sid=03/ 04/13/2227208&mode=nested&tid=192&tid=156 - 186k - May 7, 2006 - Cached - Similar pages

[PDF] Title: NAv6TF NTIA IPv6 RFC Response Editor(s): Jim Bound and ...

File Format: PDF/Adobe Acrobat - View as HTML

multi-national firms like financial companies the ability to protect **client** information. can be an important competitive edge and **business** necessity. ...

www.ntia.doc.gov/ntiahome/ntiageneral/

ipv6/comments/NAv6TF_Response_NTIA_IPv6_RFC_FINAL.pdf - Similar pages

[PDF] CRSP Utilities Guide

File Format: PDF/Adobe Acrobat

Enter search string: ibm. Exchange Codes 1=NYSE, 2=AMEX, 3=NASDAQ. PERMNO PERMCO CUSIP Company Name Tick EX. date range. 12490 20990. INTERNATIONAL BUSINESS ...

www.accounting.uwaterloo.ca/ soar/crsp/stock_ind_utilities.pdf - Similar pages

(PDF) Utilities Guide

File Format: PDF/Adobe Acrobat

CRSP is a research institute of the Graduate School of **Business** of the University of ... CRSP data may also be used in **client** newsletters, marketing, ... gsbwww.uchicago.edu/research/crsp/support/downloads/documentation/stock_indices_utilities.pdf - <u>Similar pages</u>

[DOC] Overview

File Format: Microsoft Word - View as HTML

This allows derivation within the **component** but not outside of it. ... This means that it is possible that the **client** assembly has used at least one of ... docs.msdnaa.net/ark_new3.0/cd3/content/ Books%5CAcademico%5CMicrosoft% 20course%20-%20Chapter%208.doc - Similar pages

[PDF] www.seebeyond.com

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> end tools to enable corporate **client business**, but also to deliver the ... elnsight, SeeBeyond's **business** process management **component**, we ... se.sun.com/press/success stories/pdf/soa.pdf - <u>Similar pages</u>

gjâ-zym-byn (gzb): Lexicon / Glosaro / ηĭn-cu gjâ-θy-za

{tru}); rjâ-zô: to seek, search, quest for (xref {re'ju}) ... θy: ero; one of heterogeneous component parts; simple unit, element; detail (cp. ... bellsouthpwp.net/j/i/jimhenry1973/gzb/nxcgtx.htm - 136k - Cached - Similar pages

Word Root Means Categ Date Etymology ...

File Format: Unrecognized - <u>View as HTML</u> req'ju r a thorough, systematic **search** for something; sercxado plena ... txy r ero; one of heterogeneous **component** parts; simple unit, element; detail (cp. ... bellsouthpwp.net/j/i/jimhenry1973/gzb/nxcgtx.rdb - May 7, 2006 - <u>Similar pages</u>

[PDF] CRSP ccess97 Database Format Utilities Guide DRAFT

File Format: PDF/Adobe Acrobat
For example, the PERMNO for International **Business** Machs Corp (IBM) is. 12490. The. stk_print. utility program and **search** functions. dstksearch ... prod.library.utoronto.ca:8090/datalib/ codebooks/c/crsp/1999/util_draft_61899.pdf - Similar pages

[PDF] December 31, 2001 Novell Confidential

File Format: PDF/Adobe Acrobat - View as HTML

Full-text **search** across multiple discussion groups. Access control at both server and discussion group levels. Security using SSL and **client** certificates ... www.novell.com/documentation/nw51/pdfdoc/collgenu.pdf - <u>Similar pages</u>

[PDF] TERREGOV

File Format: PDF/Adobe Acrobat - View as HTML

component to insert session information in the SOAP header and sends the response to the client. The client must insert the session in the SOAP message ... www.egovinterop.net/Res/8/ D1.5%20-%20TERREGOV%20research%20conclusions% 20for%202005.pdf - Similar pages

[PDF] <u>ATPN 2004</u>

File Format: PDF/Adobe Acrobat - View as HTML

A number of key **components** are located at the top level of SBML forming the ... The woflan property provides **client**-side integration: clicking on its value ... www.informatik.hu-berlin.de/ top/PNX/download/Proc-PNX-Bologna-2004.pdf - Similar pages

(PDF) Web Datenbanken 2001

File Format: PDF/Adobe Acrobat

client. PL bindings Components. Existing. authoring. tool. Authoring. tool adapter. component ... index identifier as an attribute of table idx_fragment. ... doesen8.informatik.uni-leipzig.de/ webdb/interna/webdb2001.pdf - Similar pages

[PDF] User Guide

File Format: PDF/Adobe Acrobat

Figure 1-1: Components in the Client/Server Dharma SDK. 1.2.2. Desktop configuration ...

ate an **index identifier** with a value from 1000 to 32767. ... www.dharma.com/downloads/SDK9.0_User.pdf - <u>Similar pages</u>

[PDF] Configuration, Command, and File Reference

File Format: PDF/Adobe Acrobat

as the result of a search or modify operation. However, most client ... specify VLV index

identifier for each database supporting your directory tree, ...

www.redhat.com/docs/manuals/dir-server/pdf/ds60cli.pdf - Similar pages

[PDF] Configuration, Command, and File Reference

File Format: PDF/Adobe Acrobat

as the result of a search or modify operation. However, most client applications ... VLV

index identifier to use to create VLV indexes. You can ...

www.redhat.com/docs/manuals/dir-server/pdf/ds61cli.pdf - Similar pages

[PDF] Adabas SQL Gateway Embedded SQL 040605

File Format: PDF/Adobe Acrobat - View as HTML

Client / Server Communication. Description of Client / Server Communication. The CONNX

RCI/JDBC Server component is a Microsoft Windows server component ...

developer.softwareag.com/ets/ docu/adabas/ace641/print/EmbeddedSQL.pdf -

Similar pages

Searching and accessing documents on private networks for use with ...

[0089] The **search** engine and/or other **components** of the system may create ... In some embodiments, the query received from the **search client** computer system ...

freshpatents.com/ Searching-and-accessing-documents-on-private-networks-for-use-with-

captures-from-rendere... - 222k - Cached - Similar pages

[PDF] SQL Server

File Format: PDF/Adobe Acrobat

o Dependencies to other business components, such as web servers, middle ... service,

client or business. The choice of a metric depends upon the nature of ...

hosteddocs.ittoolbox.com/CK121704.pdf - Similar pages

[PDF] Cisco SFS 7000 Series Product Family Element Manager User Guide

File Format: PDF/Adobe Acrobat

Search results show an illustration of your product with the serial ... You and Cisco will

commit resources during normal business hours to restore service ...

www.cisco.com/application/pdf/en/us/guest/

products/ps6421/c1629/ccmigration_09186a00805f041e.pdf - Similar pages

[PDF] Cisco Content Services Switch Command Reference

File Format: PDF/Adobe Acrobat

iQ Magazine is the Cisco monthly periodical that provides business leaders ... Entering the

show dns-boomerang client command displays the same ...

www.cisco.com/application/pdf/en/us/guest/

products/ps792/c2001/ccmigration 09186a0080157a38.pdf - Similar pages

[More results from www.cisco.com]

all - - всичко - - Edit - Редактиране - empty - - празно - - move ...

About StarRealTime Client Относно StarRealTime Client About ... Restoring components

Възстановяване на компонентите Result Pesyлтат Result of a DDE link. ... sciforge.org/viewcvs/ooo-bg/localization/ interface/terms_dictionary.txt?rev=1.4 - 666k - Cached - Similar pages

Page 1 ??? (???) 20.01.2004, 13:17:21 Page 1 / 99 Language1 Text ...

File Format: StarOffice Calc 6 & 7 - View as HTML

Adding or deleting **components**. 7. Добавление и удаление компонентов ... Continue **search** backwards. 7. Обратный поиск. 1. Continue **search** forward ... sciforge.org/viewcvs/ooo-bg/localization/ interface/En_Ru_OO_Glossary.sxc?rev=1.3 - Similar pages

[PDF] NMC-RX 7.1.x User Guide, Vol. 2

File Format: PDF/Adobe Acrobat

Select to enable this neighbor as a reflector client; enable only for ... populated with the If Index identifier when you configure the object; ...

www.juniper.net/techpubs/software/management/ nmc-rx/nmc-rx71x/bookpdfs/swconfig-nmc-rx-vol2.pdf - Similar pages

[PDF] Routing Protocols and Policies Command Reference

File Format: PDF/Adobe Acrobat

Products made or sold by Juniper Networks or components thereof might be covered by ...

NOTE: The protocol client for which the BFD session is active can be ...

www.juniper.net/techpubs/software/junos/ junos75/swcmdref75-protocols/download/swcmdref75-protocols.pdf - <u>Similar pages</u>

www.openoffice.org

Component resized. Component shown. components listed below. Compressed ... Continue search backwards. Continue search forward. Continuous. Contour ... www.ebizlab.hit.bme.hu/~vi/ ooffice/OpenOffice Glossary nontriv.html - Similar pages

United States Patent: 6925463

Accordingly, software **components** including instructions or code for performing ... The **index identifier** is then placed into a sort, with duplicate removal, ... patft.uspto.gov/netacgi/nph-Parser?patentnumber=6925463 - 61k - <u>Cached</u> - <u>Similar pages</u>

[PS] 901 San Antonio RoadPalo Alto, CA 94303 USA 415 960-1300 fax 415 ...

File Format: Adobe PostScript - View as HTML

n How to install the softwar e **components** on your server , **client**, and designatedstorage ... low and not tie up machine r esources during **business** hours. ... www.infobiogen.fr/doc/info/solstice_ backup_5.01/postscript/sbu501admin.ps - <u>Similar pages</u>

[PDF] Solstice Backup 5.0.1 Administration Guide

File Format: PDF/Adobe Acrobat

How to install the software **components** on your server, **client**, and designated ... **search** for the backup status in the output reported by save ... www.infobiogen.fr/doc/info/ solstice backup 5.01/pdf/sbu501admin.pdf - Similar pages

[PDF] BC - ABAP Dictionary

File Format: PDF/Adobe Acrobat

Search help H SPFLI does not contain a client field since for the input help the ...

SBUSPART: Business partner (key: client, partner number) ...

help.sap.com/printdocu/core/ Print46c/en/data/pdf/BCDWBDIC/BCDWBDIC.pdf -

Similar pages

[PDF] Scope statement

File Format: PDF/Adobe Acrobat - View as HTML

PC client server. RS6000. PC only. 2. 1. 2. 1. 1. 2. 4. 1. 1. 2. 1. 1. Main enterprise

systems: Software. At 3 smaller works, off-the-shelf general business ... europa.eu.int/en/comm/eurostat/ research/dosis/teler/documents/d1.pdf - Similar pages

E (ON &IOO &IBD &I88F (s16.66H &a9L &k2G PeopleSoft Report ID ...

... TRN FACIL TBL BUSCOMPNAME PSBUSCOMPDEFN Business Component Name Char 28 Mixed ... To Date 10 GP_SRCH_REFRESH GP_ABS CHUNK D Refresh Search Fields Char 1 ...

mis.its.hawaii.edu/groups/pag/XRFFLRC.txt - Similar pages

Component resized. Component shown. components listed below. Compressed ... Index identifier. Index Link. Index Markings. Index marks. Index name ... I10n.openoffice.org/localization/ OpenOffice_Glossary.html - Similar pages

"Source Term" "Language" "Part of Speech" "Category" "Product "OpenOffice.org" "COM+applications and components" "en-US" "n" "General" ... "n" "General" "OpenOffice.org" "OpenOffice.org" "index identifier" "en-US" ... I10n.openoffice.org/localization/ OpenOffice.org_en-US_Glossary.csv - 536k -Cached - Similar pages [More results from I10n.openoffice.org]

[PDF] INFORMIX-Universal Server Informix Guide to SQL: Reference

File Format: PDF/Adobe Acrobat

imaginary business. The examples in the Informix Guide to SQL: ... that provides a library of functions to an Informix client application.. such as an ... www11.informatik.tu-muenchen.de/ lehrstuhl/rechenbetrieb/software/ius/pdf/3855.pdf -Similar pages

[PDF] Administrator's Guide

File Format: PDF/Adobe Acrobat

Read, search, and. compare. 4.0 plug-ins. This component name represents all ... contains the browsing index identifier which specifies the entry on which ... www.wideopen.com/docs/manuals/ dir-server/pdf/ds601admin.pdf - Similar pages

Page 1 ??? (???) 21-09-2003, 03:33:19 Page 1 / 99 Texto em Inglês ...

File Format: StarOffice Calc 6 & 7 - View as HTML

Additional components used by all applications. Componentes adicionais utilizados pelas ... Continue search backwards. Continuar a procura para trás ... ooo.paradigma.pt/work/vd/l10n/Glossario.sxc - Similar pages

[PDF] Informix Guide to SQL: Reference

File Format: PDF/Adobe Acrobat

Informix Client Products Installation Guide for your operating system. ... imaginary business. The examples in the Informix Guide to SQL: ... pipin.tmd.ns.ac.yu/databases/informix/4365.pdf - Similar pages

[xLs] Sheet1

File Format: Microsoft Excel

1030, Component resized, փոփոխված բաղադրիչ ... 2976, Index identifier, ինդեքսի նույնություն ...

www.opensourcearmenia.com/Projects/ armenian-i10n/openoffice/glossary/download -Similar pages

[PDF] Reference Manual

File Format: PDF/Adobe Acrobat

operations indirectly via the search operation, referrals. The number of referrals returned by this directory in response to client requests ...

192.18.109.11/816-6699-10/816-6699-10.pdf - Similar pages

[PDF] Administrator's Guide

File Format: PDF/Adobe Acrobat

Read, write, search, and. compare. Table 3-2. Components Allowed to Chain ... original

identity of the client application passed via the proxied ...

192.18.109.11/816-2670/816-2670.pdf - Similar pages

[More results from 192.18.109.11]

грогі Administrator's Guide

File Format: PDF/Adobe Acrobat

Read, search, and. compare. Table 3-2. Components Allowed to Chain ... original identity

of the client application passed via the proxied authorization ...

www.it.mtu.edu/~todd/documentation/ iplanet/dir50docs/docs/pdf/admin.pdf - Similar pages

[PDF] Informix Guide to SQL: Reference

File Format: PDF/Adobe Acrobat

The onprobe server and oncockpit client components of ... systems which directories to

search for client or shared Informix general. libraries. ...

dupond.nada.kth.se:8080/webbvaruhuset/informixhelp/sql-ref.pdf - Similar pages

[PDF] ALLBASE/SQL Reference Manual

File Format: PDF/Adobe Acrobat

ALLBASE/SQL consists of several distinct components, which are shown in ... Remote

connections require the installation of ALLBASE/NET on the client and on ...

docs.hp.com/en/36216-90216/36216-90216.pdf - Similar pages

[PDF] Technical Standard Data Management: SQL Call Level Interface (CLI)

File Format: PDF/Adobe Acrobat

This is the character to be used as the escape character in the search patterns ... client.

The component of a database application that requests data for ...

www.opengroup.org/onlinepubs/9695949899/toc.pdf - Similar pages

[PDF] SQL Server Backup Recovery & Troubleshooting. Part 2

File Format: PDF/Adobe Acrobat

Check 5 - Win 2003 only - COM+ Default Component Security. ... (v7) client. If you are

using HTTP via IIS then it will be port 80 or 443 for SSL based ...

www.quest.com/.../sql_server_ebook_a_practical_

guide_to_backup,_recovery,_and_troubleshooting_(part_2).pdf - Similar pages

LSM Commands

Contains the configuration files for various components of the Legato Storage Manager

server. ... Search for a client resource listing the save set "All". ...

www.mid.main.vsu.ru/docs/ oracle9/win.901/a90175/ch02.htm - 941k -

Cached - Similar pages

[PDF] P802.15.3 Draft 10 Comments

File Format: PDF/Adobe Acrobat

Both PNC and client shall regard a deauthenticate request ... by the stream indices stream

index(es);octet; stream index identifier; Used by the DEV ...

grouper.ieee.org/groups/802/15/ pub/2002/Jul02/02300r0P802-15_WG-LB17-

Comments.pdf - Similar pages

[PDF] CRSP/Compustat Merged Database Guide

File Format: PDF/Adobe Acrobat

IBM INTL BUSINESS MACHINES CORP 50-95 62.1-96.3. Unix. The name of the search

utility is entered at the prompt. The program will prompt for a search string. ...

www-gsb.uchicago.edu/research/crsp/

support/downloads/documentation/ccm_database_guide.pdf - Similar pages

[РРБ] Impact of Mobility on Information Systems and Information System ...

File Format: PDF/Adobe Acrobat

components. The various forms of mobile units occurring in computer science are ...

Mobile-Agent versus Client/Server Performance: Scalability in an ... opus.tu-bs.de/opus/volltexte/2004/640/pdf/D.PDF - Similar pages

[PDF] GG244047

File Format: PDF/Adobe Acrobat

components that a business needs to manage and for which it may choose to ... This

index is then referenced by an index identifier (IID) which ...

www.redbooks.ibm.com/redbooks/pdfs/gg244047.pdf - Similar pages

IPDFI Reference Guide

File Format: PDF/Adobe Acrobat

client. The browser-based deployment paradigm is described in Chapter 22,. Distributed

Application Architectures. Magic Components ...

www.magicsoftware.com.tw/ebook/V9/ref.pdf - Similar pages

[PDF] Wonderware FactorySuite A

File Format: PDF/Adobe Acrobat

The client components (represented by the visualization nodes) provide the ... occur

between Production and Business Systems. Basic built-in reporting ...

astor.com.pl/www/Download/Centrum_techniczne/

Wonderware/dokumentacja_en/IAS/FSA2_DG.pdf - Similar pages

[PDF] FORTRAN-77 to FORTRAN-95 Migration Guide

File Format: PDF/Adobe Acrobat

In FORTRAN-77 event arrays with multiple types of components are supported via arrays

with ... CRSP data may also be used in client newsletters, marketing, ...

www.gsb.uchicago.edu/research/crsp/support/

downloads/documentation/for77_to_for95_migration.pdf - Similar pages

"Número" "@" "@" "@" "arroba" "1000 Separator" "Separador de ... - [Translate this page]

"COBOL", "Common Business-Oriented Language", "Acrônimo". "CODASYL", "Conference On Data System Languages", "Acrônimo". "CODE", "Client-server Open ...

br.tldp.org/ferramentas/vp/html/vp.html - Similar pages

IPDFI Reference Manual

File Format: PDF/Adobe Acrobat

host machine and the DN or filter for the search. This appendix provides, information on the

components of an LDAP URL and on escaping unsafe, characters, ...

sunone.sch.bme.hu/Download/ JESv1.0/DS-5.2/816-6699-10.pdf - Similar pages

Solstice Backup 5.1 Administration Guide

File Format: Unrecognized

The Solstice Backup 5.1 Installation and Release Notes describes: How to install the software components on your server, client, and designated storage node ...

docs.sun.com/source/805-3795/805-3795.xml - Similar pages

dbaccess source\core\resource\strings.src 0 string ...

... 0 en-US Important program components could not be initialized correctly. ... this document locally instead and attach it from within your e-mail client. ... ftp.fi.muni.cz/pub/localization/ OpenOffice.org/devel/tmp/sdfcreater.sdf - Similar pages

In order to show you the most relevant results, we have omitted some entries very similar to the 92 already displayed.

If you like, you can repeat the search with the omitted results included.

Try your search again on Google Book Search

New! Crack the Code: Play the Da Vinci Code Quest on Google.

client business components search Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Sign in



 Web
 Images
 Groups
 News
 Froogle
 Maps
 more »

 client "index identifier" business components !
 Search
 Advanced Search Preferences

Web Results 1 - 1 of 1 for client "index identifier" business components "search index". (0.40 seconds)

Tip: Try removing quotes from your search to get more results.

"Número" "@" "@" "arroba" "1000 Separator" "Separador de ... - [Translate this page] "COBOL", "Common Business-Oriented Language", "Acrônimo". "CODASYL", "Conference On Data System Languages", "Acrônimo". "CODE", "Client-server Open ... br.tldp.org/ferramentas/vp/html/vp.html - Similar pages

Try your search again on Google Book Search

New! Crack the Code: Play the Da Vinci Code Quest on Google.

client "index identifier" business con Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Sign in



 Web
 Images
 Groups
 News
 Froogle
 Maps
 more »

 "search indices" client "index identifier" "busine
 Search
 Advanced Search Preferences

Web

Tip: Try removing quotes from your search to get more results.

. <u>Business Search</u>

Your search - "search indices" client "index identifier" "business components" - did not match any documents.

Get company contact info & news.
Do business Research at Hoover's.
www.Hoovers.com

Sponsored Links

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((business components) <in>metadata)"</in>	Signal and a
Your search matched 34 of 1348795 documents.	
A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.	

» Search O	ptions	Mod	lify Search			
<u>View Session History</u>		((bus	((business components) <in>metadata)</in>			
New Search		Check to search only within this results set				
		Disp	play Format: Citation C Citation & Abstract			
» Key						
IEEE JNL	IEEE Journal or Magazine	√ vie	w selected items Select All Deselect All			
IEE JNL	IEE Journal or Magazine	_	1 Pusings Component Identification of Enterprise Information System: A			
IEEE CNF	IEEE Conference Proceeding		 Business Component Identification of Enterprise Information System: A clustering method 			
IEE CNF	IEE Conference		Meng Fan-Chao; Zhan Den-Chen; Xu Xiao-Fei; e-Business Engineering, 2005. ICEBE 2005. IEEE International Conference or			
	Proceeding		12-18 Oct. 2005 Page(s):473 - 480			
IEEE STD	IEEE Standard		Digital Object Identifier 10.1109/ICEBE.2005.32 <u>AbstractPlus</u> Full Text: <u>PDF</u> (296 KB) IEEE CNF			
			Rights and Permissions			
			2. The Research and Design of Business Component Reuse in Enterprise In System Integration Yinzhang Guo; Guoyou Zhang; Lipin Xie; Yubin Xu; Information Technology and Applications, 2005. ICITA 2005. Third Internations Volume 2, 4-7 July 2005 Page(s):41 - 44 Dirichl Object Markifor 40 4400/ICITA 2005.			
			Digital Object Identifier 10.1109/ICITA.2005.276 <u>AbstractPlus</u> Full Text: <u>PDF</u> (71 KB) IEEE CNF			
			Rights and Permissions			
			3. Research on Load Balance of Multi Clusters Architecture Based on Busin Components Partition Yiqiang Zheng; Heqing Guo; Wei Gao; Botong Xu; Information Technology and Applications, 2005, ICITA 2005, Third Internations Volume 2, 4-7 July 2005 Page(s):101 - 104 Digital Object Identifier 10.1109/ICITA.2005.238			
			AbstractPlus Full Text: PDF(81 KB) IEEE CNF Rights and Permissions			
			 Model-based generation of business component architectures Teixeira, H.V.; Braga, R.M.; Werner, C.M.L.; <u>Euromicro Conference, 2004. Proceedings. 30th</u> 2004 Page(s):176 - 183 Digital Object Identifier 10.1109/EURMIC.2004.1333370 			
			AbstractPlus Full Text: PDF(913 KB) IEEE CNF Rights and Permissions			
			5. Realizing business components, business operations and business serv Flaxer, D.; Anil Nigam; E-Commerce Technology for Dynamic E-Business. 2004. IEEE International C			

2004 Page(s):328 - 332 Digital Object Identifier 10.1109/CEC-EAST.2004.55 AbstractPlus | Full Text: PDF(136 KB) IEEE CNF Rights and Permissions 6. Knowledge-based repository scheme for storing and retrieving business theoretical design and an empirical analysis Vitharana, P.; Zahedi, F.M.; Jain, H.; Software Engineering, IEEE Transactions on Volume 29, Issue 7, July 2003 Page(s):649 - 664 Digital Object Identifier 10.1109/TSE.2003.1214328 AbstractPlus | References | Full Text: PDF(1940 KB) IEEE JNL Rights and Permissions 7. Architecture framework for business components Kozaczynski, W.; Software Reuse, 1998. Proceedings, Fifth International Conference on 2-5 June 1998 Page(s):300 - 307 Digital Object Identifier 10.1109/ICSR.1998.685755 AbstractPlus | Full Text: PDF(1052 KB) IEEE CNF Rights and Permissions 8. Business component identification - a formal approach П Jain, H.; Chalimeda, N.; Ivaturi, N.; Reddy, B.; Enterprise Distributed Object Computing Conference, 2001. EDOC '01. Proces International 4-7 Sept. 2001 Page(s):183 - 187 Digital Object Identifier 10.1109/EDOC.2001.950437 AbstractPlus | Full Text: PDF(376 KB) IEEE CNF Rights and Permissions 9. Mining legacy systems for business components: an architecture for an i Johnson, P.D.; Computer Software and Applications Conference, 2002. COMPSAC 2002. Pro Annual International 26-29 Aug. 2002 Page(s):563 - 571 Digital Object Identifier 10.1109/CMPSAC.2002.1045065 AbstractPlus | Full Text: PDF(290 KB) | IEEE CNF Rights and Permissions 10. O2BC: a technique for the design of component-based applications П Ganesan, R.; Sengupta, S.; Technology of Object-Oriented Languages and Systems, 2001. TOOLS 39. 39 Conference and Exhibition on 29 July-3 Aug. 2001 Page(s):46 - 55 Digital Object Identifier 10.1109/TOOLS.2001.941658 AbstractPlus | Full Text: PDF(524 KB) IEEE CNF Rights and Permissions 11. Classification framework for business components Fellner, K.J.; Turowski, K.; System Sciences, 2000. Proceedings of the 33rd Annual Hawaii International (Jan 4-7 2000 Page(s):10 pp. AbstractPlus | Full Text: PDF(128 KB) | IEEE CNF Rights and Permissions 12. Using Component Business Modeling to Facilitate Business Enterprise A **Business Services at the US Department of Defense** Flaxer, D.; Nigam, A.; Vergo, J.;

e-Business Engineering, 2005. ICEBE 2005. IEEE International Conference or 12-18 Oct. 2005 Page(s):755 - 760 Digital Object Identifier 10.1109/ICEBE.2005.124
AbstractPlus Full Text: PDF(296 KB) IEEE CNF Rights and Permissions
13. COM+: the evolution of component services Eddon, G.; Computer Volume 32, Issue 7, July 1999 Page(s):104 - 106 Digital Object Identifier 10.1109/2.774923 AbstractPlus Full Text: PDF(240 KB) IEEE JNL Rights and Permissions
14. Refactoring reusable business components Neill, C.J.; Gill, B.; IT Professional Volume 5, Issue 1, Jan. 2003 Page(s):33 - 38 Digital Object Identifier 10.1109/MITP.2003.1176488 AbstractPlus Full Text: PDF(324 KB) IEEE JNL Rights and Permissions
15. Strategy-based design of reusable business components Vitharana, P.; Jain, H.; Zahedi, F.; Systems, Man and Cybernetics, Part C, IEEE Transactions on Volume 34, Issue 4, Nov. 2004 Page(s):460 - 474 Digital Object Identifier 10.1109/TSMCC.2004.829258 AbstractPlus References Full Text: PDF(496 KB) IEEE JNL Rights and Permissions
16. The emerging role of the Web for enterprise applications and ASPs Umar, A.; Proceedings of the IEEE Volume 92, Issue 9, Sep 2004 Page(s):1420 - 1438 Digital Object Identifier 10.1109/JPROC.2004.832955 AbstractPlus References Full Text: PDF(1128 KB) Full Text: HTML IEEE Rights and Permissions
17. Interaction pattern gathering in service-oriented applications Filho, A.M.S.; Liesenberg, H.K.E.; Barros, R.S.M.; Service-Oriented System Engineering, 2005. SOSE 2005. IEEE International \(\) 20-21 Oct. 2005 Page(s):129 - 134 Digital Object Identifier 10.1109/SOSE.2005.19 AbstractPlus Full Text: PDF(248 KB) IEEE CNF Rights and Permissions
18. Implementing EDOC business components on top of a CCM platform Belaunde, M.; Bezivin, J.; Pham, T.H.; Enterprise Distributed Object Computing Conference, 2003. Proceedings. Sev International 16-19 Sept. 2003 Page(s):208 - 219 Digital Object Identifier 10.1109/EDOC.2003.1233850 AbstractPlus Full Text: PDF(375 KB) IEEE CNF Rights and Permissions
19. Symphony: a conceptual model based on business components Hassine, I.; Rieu, D.; Bounaas, F.; Seghrouchni, O.; Systems, Man and Cybernetics, 2002 IEEE International Conference on Volume 3, 6-9 Oct, 2002 Page(s) 6 pp. vol 3

20. Integration of QoS facilities into component container architectures П de Miguel, M.A.; Object-Oriented Real-Time Distributed Computing, 2002. (ISORC 2002). Proci IEEE International Symposium on 29 April-1 May 2002 Page(s):394 - 401 Digital Object Identifier 10.1109/ISORC.2002.1003803 AbstractPlus | Full Text: PDF(673 KB) IEEE CNF Rights and Permissions 21. QoS-aware component frameworks П de Miguel, M.A.; Ruiz, J.F.; Garcia, M.; Quality of Service, 2002. Tenth IEEE International Workshop on 15-17 May 2002 Page(s):161 - 169 Digital Object Identifier 10.1109/IWQoS.2002.1006584 AbstractPlus | Full Text: PDF(720 KB) IEEE CNF Rights and Permissions 22. Business component framework and modeling method for component-ba П architecture Ginbayashi, J.; Yamamoto, R.; Hashimoto, K.; Enterprise Distributed Object Computing Conference, 2000. EDOC 2000. Proc International 25-28 Sept. 2000 Page(s):184 - 193 Digital Object Identifier 10.1109/EDOC.2000.882358 AbstractPlus | Full Text: PDF(704 KB) IEEE CNF Rights and Permissions 23. Designing the virtual enterprise Dorf, R.C.; Engineering and Technology Management, 1996. IEMC 96. Proceedings., Inte Conference on 18-20 Aug. 1996 Page(s):139 - 141 Digital Object Identifier 10.1109/IEMC.1996.547803 AbstractPlus | Full Text: PDF(204 KB) IEEE CNF Rights and Permissions 24. Commercialized remote sensing: a comprehensive view for global studie Julyan, D.S.; Electronics and Aerospace Conference, 1988. 'How will Space and Terrestrial the Future?' Conference Proceedings, IEEE EASCON '88., 21st Annual 9-11 Nov. 1988 Page(s):7 - 10 Digital Object Identifier 10.1109/EASCON.1988.11211 AbstractPlus | Full Text: PDF(368 KB) IEEE CNF Rights and Permissions 25. Business benefits from enterprise modelling and integration Weston, R.H.; Next Generation I.T. in Manufacturing (Digest No: 1997/315), IEE Colloquium 11 Dec. 1997 Page(s):2/1 - 2/3 AbstractPlus | Full Text: PDF(252 KB) IEE CNF

AbstractPlus | Full Text: PDF(434 KB) IEEE CNF

Rights and Permissions

Help Contact Us Privacy &:

© Copyright 2006 IEEE -



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Your searc	"((business components h matched 34 of 1348795 d h of 34 results are displayed	***************************************		
» Search O	ptions			
View Sessi	on Hi <u>story</u>	Modify Search		
New Searc		((business components) <in>metadata)</in>		
	_	Check to search only within this results set		
» Key		Display Format: Citation C Citation & Abstract		
IEEE JNL	IEEE Journal or Magazine	wiew selected items Select All Deselect All		
IEE JNL	IEE Journal or Magazine	Select All Deselect All		
IEEE CNF	IEEE Conference Proceeding	26. Balancing market priorities with security issues Amin, M.;		
IEE CNF	IEE Conference Proceeding	Power and Energy Magazine, IEEE Volume 2, Issue 4, July-Aug. 2004 Page(s):30 - 38		
IEEE STD	IEEE Standard	Digital Object Identifier 10.1109/MPAE.2004.1310871		
	·	AbstractPlus Full Text: PDF(1340 KB) IEEE JNL Rights and Permissions		
		27. Developing business components [Book Review] Computer Volume 36, Issue 3, Mar 2003 Page(s):79 - 79 Digital Object Identifier 10.1109/MC.2003.1185220		
		AbstractPlus Full Text: PDF(210 KB) IEEE JNL Rights and Permissions		
		28. Service-oriented software reengineering: Bertie3 as Web services Chung, S.; Young, P.S.; Nelson, J.; Web Services, 2005. ICWS 2005. Proceedings. 2005 IEEE International Cont 11-15 July 2005 Page(s): Digital Object Identifier 10.1109/ICWS.2005.109		
		AbstractPlus Full Text: PDF(93 KB) IEEE CNF Rights and Permissions		
		29. Design of software applications using generic business components Shishkov, B.; Dietz, J.L.G.; System Sciences, 2004. Proceedings of the 37th Annual Hawaii International 5-8 Jan. 2004 Page(s):272 - 281		
		AbstractPlus Full Text: PDF(371 KB) IEEE CNF Rights and Permissions		
	•	30. Specification of customizable business components Ackermann, J.; Turowski, K.; Euromicro Conference, 2003. Proceedings. 29th 1-6 Sept. 2003 Page(s):391 - 394		

Rights and Permissions

AbstractPlus | Full Text: PDF(255 KB) IEEE CNF

31. Object driven performance testing of Web applications Subraya, B.M.; Subrahmanya, S.V.; Quality Software, 2000. Proceedings. First Asia-Pacific Conference on 30-31 Oct. 2000 Page(s):17 - 26 Digital Object Identifier 10.1109/APAQ.2000.883774
AbstractPlus Full Text: PDF(752 KB) IEEE CNF Rights and Permissions
32. The first entrepreneurial and practice-oriented masters program in micro systems packaging Conrad, L.; Tummala, R.; May, G.; Electronic Components and Technology Conference, 2000. 2000 Proceedings 21-24 May 2000 Page(s):1002 - 1007 Digital Object Identifier 10.1109/ECTC.2000.853290
AbstractPlus Full Text: PDF(572 KB) IEEE CNF Rights and Permissions
33. Development experiences of a component-based system Larsson, M.; Crnkovic, I.; Engineering of Computer Based Systems, 2000. (ECBS 2000) Proceedings, S International Conference and Workshopon the 3-7 April 2000 Page(s):246 - 254 Digital Object Identifier 10.1109/ECBS.2000.839883
AbstractPlus Full Text: PDF(156 KB) IEEE CNF Rights and Permissions
34. Problem frames and object-oriented software architecture Taylor, P.; Technology of Object-Oriented Languages and Systems, 2000. TOOLS-Pacific Proceedings, 37th International Conference on 20-23 Nov. 2000 Page(s):70 - 81 Digital Object Identifier 10.1109/TOOLS.2000.891359 AbstractPlus Full Text: PDF(688 KB) IEEE CNF Rights and Permissions
•

illinspec"

Help Contact Us Privacy &: © Copyright 2006 IEEE -



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((client business components search)<in>metadata)"

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

((client business components search)<in>metadata)

☐ Check to search only within this results set

» Key

IEEE Journal or

Magazine

IEE JNL

IEE CNF

IEEE JNL

IEE Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IEE Conference

Proceeding

Modify Search

Search

∑le-mail

No results were found.

Display Format:

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

search.

IEEE STD IEEE Standard

Help Contact Us Privacy &:

© Copyright 2006 IEEE -

indexed by iii inspec'



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((business components search)<in>metadata)"

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

Modify Search

((business components search)<in>metadata)

Me-mail

» Key

IEEE JNL IEEE Journal or

Magazine

IEE JNL

IEE Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IEE CNF

IEE Conference

Proceeding

IEEE STD IEEE Standard

☐ Check to search only within this results set

Search

Display Format:

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

Contact Us Privacy &:

© Copyright 2006 IEEE -

indexed by 🖫 Inspec



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library • The Guide

+client +business +components +search +index +identifier +i



THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used client business components search index identifier file

Found 169 of 176,279

Sort results by relevance Display results expanded form

Save results to a Binder **?** Search Tips Open results in a new

Try an Advanced Search Try this search in The ACM Guide

Results 1 - 20 of 169

Result page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u>

Query processing in a multimedia document system

window

Elisa Bertino, Fausto Rabbiti, Simon Gibbs

January 1988 ACM Transactions on Information Systems (TOIS), Volume 6 Issue 1

Publisher: ACM Press

Full text available: pdf(2.94 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, index terms, review

Query processing in a multimedia document system is described. Multimedia documents are information objects containing formatted data, text, image, graphics, and voice. The query language is based on a conceptual document model that allows the users to formulate queries on both document content and structure. The architecture of the system is outlined, with focus on the storage organization in which both optical and magnetic devices can coexist. Query processing and the different strategies ...

² A survey of peer-to-peer content distribution technologies

Stephanos Androutsellis-Theotokis, Diomidis Spinellis

December 2004 ACM Computing Surveys (CSUR), Volume 36 Issue 4

Publisher: ACM Press

Full text available: pdf(517.77 KB) Additional Information: full citation, abstract, references, index terms

Distributed computer architectures labeled "peer-to-peer" are designed for the sharing of computer resources (content, storage, CPU cycles) by direct exchange, rather than requiring the intermediation or support of a centralized server or authority. Peer-to-peer architectures are characterized by their ability to adapt to failures and accommodate transient populations of nodes while maintaining acceptable connectivity and performance. Content distribution is an important peer-to-peer application ...

Keywords: Content distribution, DHT, DOLR, grid computing, p2p, peer-to-peer

3 Client-server computing in mobile environments Jin Jing, Abdelsalam Sumi Helal, Ahmed Elmagarmid

June 1999 ACM Computing Surveys (CSUR), Volume 31 Issue 2

Publisher: ACM Press

Full text available: pdf(233.31 KB)

Additional Information: full citation, abstract, references, citings, index terms, review

http://portal.acm.org/results.cfm?CFID=75511373&CFTOKEN=5980594&adv=1&COLL=ACM&D... 5/9/06

Recent advances in wireless data networking and portable information appliances have engendered a new paradigm of computing, called mobile computing, in which users carrying portable devices have access to data and information services regardless of their physical location or movement behavior. In the meantime, research addressing information access in mobile environments has proliferated. In this survey, we provide a concrete framework and categorization of the various way ...

Keywords: application adaptation, cache invalidation, caching, client/server, data dissemination, disconnected operation, mobile applications, mobile client/server, mobile compuing, mobile data, mobility awareness, survey, system application

4 Special issue on prototypes of deductive database systems: The CORAL deductive system



Raghu Ramakrishnan, Divesh Srivastava, S. Sudarshan, Praveen Seshadri
April 1994 The VLDB Journal — The International Journal on Very Large Data Bases,
Volume 3 Issue 2

Publisher: Springer-Verlag New York, Inc.

Full text available: pdf(3.03 MB) Additional Information: full citation, abstract, references, citings

CORAL is a deductive system that supports a rich declarative language, and an interface to C++, which allows for a combination of declarative and imperative programming. A CORAL declarative program can be organized as a collection of interacting modules. CORAL supports a wide range of evaluation strategies, and automatically chooses an efficient strategy for each module in the program. Users can guide query optimization by selecting from a wide range of control choices. The CORAL system provides ...

Keywords: deductive database, logic programming system, query language

⁵ Query evaluation techniques for large databases



Goetz Graefe

June 1993 ACM Computing Surveys (CSUR), Volume 25 Issue 2

Publisher: ACM Press


Full text available: pdf(9.37 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> <u>terms</u>, <u>review</u>

Database management systems will continue to manage large data volumes. Thus, efficient algorithms for accessing and manipulating large sets and sequences will be required to provide acceptable performance. The advent of object-oriented and extensible database systems will not solve this problem. On the contrary, modern data models exacerbate the problem: In order to manipulate large sets of complex objects as efficiently as today's database systems manipulate simple records, query-processi ...

Keywords: complex query evaluation plans, dynamic query evaluation plans, extensible database systems, iterators, object-oriented database systems, operator model of parallelization, parallel algorithms, relational database systems, set-matching algorithms, sort-hash duality

6 Distributed operating systems



December 1985 ACM Computing Surveys (CSUR), Volume 17 Issue 4

Publisher: ACM Press


Full text available: pdf(5.49 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> <u>terms</u>, <u>review</u>

http://portal.acm.org/results.cfm?CFID=75511373&CFTOKEN=5980594&adv=1&COLL=ACM&D... 5/9/06

Distributed operating systems have many aspects in common with centralized ones, but they also differ in certain ways. This paper is intended as an introduction to distributed operating systems, and especially to current university research about them. After a discussion of what constitutes a distributed operating system and how it is distinguished from a computer network, various key design issues are discussed. Then several examples of current research projects are examined in some detail ...

7 Peer-to-peer: Making gnutella-like P2P systems scalable



Publisher: ACM Press

Full text available: pdf(181.52 KB)

Additional Information: full citation, abstract, references, citings, index terms

Napster pioneered the idea of peer-to-peer file sharing, and supported it with a centralized file search facility. Subsequent P2P systems like Gnutella adopted decentralized search algorithms. However, Gnutella's notoriously poor scaling led some to propose distributed hash table solutions to the wide-area file search problem. Contrary to that trend, we advocate retaining Gnutella's simplicity while proposing new mechanisms that greatly improve its scalability. Building upon prior research [1, 1 ...

Keywords: Gnutella, distributed hash tables, peer-to-peer

⁸ Web-based specification and integration of legacy services

Ying Zou, Kostas Kontogiannis

November 2000 Proceedings of the 2000 conference of the Centre for Advanced Studies on Collaborative research

Publisher: IBM Press

Full text available: Plot(279.28 KB) Additional Information: full citation, abstract, references, index terms

With the explosive growth of the Internet, businesses of all sizes aim on applying networkwide solutions to their IT infrastructures, migrating their legacy business processes into web-based environments, and establishing their own on-line services. To facilitate process and service integration, a complete and information rich service description language, is essential for server processes to be specified and for client processes to be able to locate services that are available in Web-enabled re ...

Model-driven design and deployment of service-enabled web applications

Ioana Manolescu, Marco Brambilla, Stefano Ceri, Sara Comai, Piero Fraternali
August 2005 ACM Transactions on Internet Technology (TOIT), Volume 5 Issue 3

Publisher: ACM Press

Full text available: pdf(3.07 MB) Additional Information: full citation, abstract, references, index terms

Significant effort is currently invested in application integration, enabling business processes of different companies to interact and form complex multiparty processes. Web service standards, based on WSDL (Web Service Definition Language), have been adopted as process-to-process communication paradigms. However, the conceptual modeling of applications using Web services has not yet been addressed. Interaction with Web services is often specified at the level of the source code; thus, Web serv

Keywords: UML, Web application, Web services, WebML, modeling

Model-driven development of Web applications: the AutoWeb system Piero Fraternali, Paolo Paolini





October 2000 ACM Transactions on Information Systems (TOIS), Volume 18 Issue 4 Publisher: ACM Press

Full text available: pdf(6.94 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

This paper describes a methodology for the development of WWW applications and a tool environment specifically tailored for the methodology. The methodology and the development environment are based upon models and techniques already used in the hypermedia, information systems, and software engineering fields, adapted and blended in an original mix. The foundation of the proposal is the conceptual design of WWW applications, using HDM-lite, a notation for the specification of structure, nav ...

Keywords: HTML, WWW, application, development, intranet, modeling

11 The Alpine file system

M. R. Brown, K. N. Kolling, E. A. Taft

November 1985 ACM Transactions on Computer Systems (TOCS), Volume 3 Issue 4

Publisher: ACM Press

Full text available: pdf(2.95 MB)

Additional Information: full citation, abstract, references, citings, index terms, review

Alpine is a file system that supports atomic transactions and is designed to operate as a service on a computer network. Alpine's primary purpose is to store files that represent databases. An important secondary goal is to store ordinary files representing documents, program modules, and the like. Unlike other file servers described in the literature, Alpine uses a log-based technique to implement atomic file update. Another unusual aspect of Alpine is that it performs all commu ...

12 The architecture of the EXODUS extensible DBMS

Michael J. Carey, David J. DeWitt, Daniel Frank, M. Muralikrishna, Goetz Graefe, Joel E. Richardson, Eugene J. Shekita

September 1986 Proceedings on the 1986 international workshop on Object-oriented database systems

Publisher: IEEE Computer Society Press

Full text available: pdf(1.68 MB)

Additional Information: full citation, abstract, references, citings, index terms

With non-traditional application areas such as engineering design, image/voice data management, scientific/statistical applications, and artificial intelligence systems all clamoring for ways to store and efficiently process larger and larger volumes of data, it is clear that traditional database technology has been pushed to its limits. It also seems clear that no single database system will be capable of simultaneously meeting the functionality and performance requirements of such a diver ...

13 SaveMe: a system for archiving electronic documents using messaging groupware

Stefan Berchtold, Alexandros Biliris, Euthimios Panagos

March 1999 ACM SIGSOFT Software Engineering Notes, Proceedings of the international joint conference on Work activities coordination and collaboration WACC '99, Volume 24 Issue 2

Publisher: ACM Press

Full text available: pdf(1.47 MB) Additional Information: full citation, abstract, references, index terms

Today, organizations deal with an ever-increasing number of documents that have to be archived because they are either related to their core business (e.g., product designs) or needed to meet corporate or legal retention requirements (e.g., voucher). In this paper, we present the architecture and prototype implementation of SaveMe, a document archival system that is based on network-centric groupware such as Internet standards-





based messaging systems. In SaveMe, the actions of archiving, retriev ...

Keywords: Internet, archiving, groupware, messaging

14 Web mining for web personalization

, Magdalini Eirinaki, Michalis Vazirgiannis

February 2003 ACM Transactions on Internet Technology (TOIT), Volume 3 Issue 1

Publisher: ACM Press

Full text available: pdf(293.73 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms, review

Web personalization is the process of customizing a Web site to the needs of specific users, taking advantage of the knowledge acquired from the analysis of the user's navigational behavior (usage data) in correlation with other information collected in the Web context, namely, structure, content, and user profile data. Due to the explosive growth of the Web, the domain of Web personalization has gained great momentum both in the research and commercial areas. In this article we present a survey ...

Keywords: WWW, Web personalization, Web usage mining, user profiling

15 The file system of an integrated local network

Paul J. Leach, Paul H. Levine, James A. Hamilton, Bernard L. Stumpf

March 1985 Proceedings of the 1985 ACM thirteenth annual conference on Computer Science


Publisher: ACM Press

Full text available: pdf(1.78 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> <u>terms</u>

The distributed file system component of the DOMAIN system is described. The DOMAIN system is an architecture for networks of personal workstations and servers which creates an integrated distributed computing environment. The distinctive features of the file system include: objects addressed by unique identifiers (UIDs); transparent access to objects, regardless of their location in the network; the abstraction of a single level store for accessing all objects; and the layering of a networ ...

¹⁶ Knowledge-based document retrieval in office environments: the Kabiria system



July 1995 ACM Transactions on Information Systems (TOIS), Volume 13 Issue 3

Publisher: ACM Press

Full text available: pdf(2.14 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> <u>terms</u>, <u>review</u>

In the office environment, the retrieval of documents is performed using the concepts contained in the documents, information about the procedural context where the documents are used, and information about the regulations and laws that discipline the life of documents within a given application domain. To fulfill the requirements of such a sophisticated retrieval, we propose a document retrieval model and system based on the representation of knowledge describing the semantic contents of d ...

Keywords: browser, class, hypertext, instance, knowledge base, link, object orientation, user interface

A structural view of the Cedar programming environment
Daniel C. Swinehart, Polle T. Zellweger, Richard J. Beach, Robert B. Hagmann







August 1986 ACM Transactions on Programming Languages and Systems (TOPLAS)

Volume 8 Issue 4

Publisher: ACM Press

Full text available: pdf(6.32 MB)

Additional Information: full citation, abstract, references, citings, index terms

This paper presents an overview of the Cedar programming environment, focusing on its overall structure—that is, the major components of Cedar and the way they are organized. Cedar supports the development of programs written in a single programming language, also called Cedar. Its primary purpose is to increase the productivity of programmers whose activities include experimental programming and the development of prototype software systems for a high-performance personal computer, T ...

Measuring and characterizing end-to-end Internet service performance

Ludmila Cherkasova, Yun Fu, Wenting Tang, Amin Vahdat

November 2003 ACM Transactions on Internet Technology (TOIT), Volume 3 Issue 4

Publisher: ACM Press

Full text available: pdf(1.46 MB) Additional Information: full citation, abstract, references, index terms

Fundamental to the design of reliable, high-performance network services is an understanding of the performance characteristics of the service as perceived by the client population as a whole. Understanding and measuring such end-to-end service performance is a challenging task. Current techniques include periodic sampling of service characteristics from strategic locations in the network and instrumenting Web pages with code that reports client-perceived latency back to a performance server. Li ...

Keywords: End-to-end service performance, QoS, network packet traces, passive monitoring, reconstruction of web page composition, web site performance

19 Eclipse help system: an open source user assistance offering

Kari L. Halsted, James H. (Jamie) Roberts

October 2002 Proceedings of the 20th annual international conference on Computer documentation

Publisher: ACM Press

Full text available: pdf(365.82 KB) Additional Information: full citation, abstract, references, index terms

In this paper, we discuss the theoretical and practical elements of designing an open source User Assistance (UA) System. Specifically, we introduce UCD requirements, including those to accommodate different user modes for UA architectures and complex document integration. We then detail how these requirements were delivered in the open source Eclipse project.

Keywords: eclipse user assistance, user assistance, user-centered design

20 Industrial session: XML support in relational system: Native XML support in DB2 universal database

Matthias Nicola, Bert van der Linden

August 2005 Proceedings of the 31st international conference on Very large data bases VLDB '05

Publisher: VLDB Endowment

Full text available: pdf(240.25 KB) Additional Information: full citation, abstract, references, index terms

The major relational database systems have been providing XML support for several years, predominantly by mapping XML to existing concepts such as LOBs or (object-) relational tables. The limitations of these approaches are well known in research and industry. Thus, a forthcoming version of DB2 Universal Database® is enhanced with





comprehensive *native* XML support. "Native" means that XML documents are stored on disk pages in tree structures matching the XML data model. This avoids the ...

Results 1 - 20 of 169

Result page: 1 2 3 4 5 6 7 8 9 next

The ACM Portal is published by the Association for Computing Machinery. Copyright ?2006 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat QuickTime Mindows Media Player



Subscribe (Full Service) Register (Limited Service, Free) Login

Search:

The ACM Digital Library O The Guide

+client +business +components +search +index +identifier +i



THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used client business components search index identifier file

Found **169** of **176,279**

Sort results by relevance Display results expanded form

Save results to a Binder Search Tips Open results in a new window

Try an Advanced Search Try this search in The ACM Guide

Results 21 - 40 of 169

Result page: <u>previous</u> <u>1</u> **2** <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u>

Relevance scale

News on-demand for multimedia networks

Gene Miller, Greg Baber, Mark Gilliland

September 1993 Proceedings of the first ACM international conference on Multimedia

Publisher: ACM Press

Full text available: pdf(106.03 KB) ps(1.21 MB)

Additional Information: full citation, references, citings, index terms

Keywords: authoring, database, digital video, information service, messaging, networked multimedia, news, retrieval, wideband

22 The Cedar file system

David K. Gifford, Roger M. Needham, Michael D. Schroeder March 1988 Communications of the ACM, Volume 31 Issue 3

Publisher: ACM Press

Full text available: pdf(1.26 MB)

Additional Information: full citation, abstract, references, citings, index terms, review

The Cedar File System (CFS) is a workstation file system that provides access to both a workstation's local disk and to remote file servers via a single hierarchical name space. CFS supports a group of cooperating programmers by allowing them to both manage local naming environments and to share consistent versions of collections of software.

23 Peer-to-peer computing: Foreseer: a novel, locality-aware peer-to-peer system architecture for keyword searches



Hailong Cai, Jun Wang

October 2004 Proceedings of the 5th ACM/IFIP/USENIX international conference on Middleware Middleware '04

Publisher: Springer-Verlag New York, Inc.

Full text available: pdf(315.85 KB) Additional Information: full citation, abstract, references

Peer-to-peer (P2P) systems are becoming increasingly popular and complex, serving millions of users today. However, the design of current unstructured P2P systems does not take full advantage of rich locality properties present in P2P system workloads, thus possibly resulting in inefficient searches or poor system scalability. In this paper, we

propose a novel locality-aware P2P system architecture called Foreseer, which explicitly exploits <I>geographical</I> locality and <I>t ...

Keywords: Bloom filter, Foreseer, geographical locality, temporal locality

24 Extending document management systems with user-specific active properties Paul Dourish, W. Keith Edwards, Anthony LaMarca, John Lamping, Karin Petersen, Michael



Salisbury, Douglas B. Terry, James Thornton

April 2000 ACM Transactions on Information Systems (TOIS), Volume 18 Issue 2

Publisher: ACM Press

Full text available: pdf(166,43 KB)

Additional Information: full citation, abstract, references, citings, index terms

Document properties are a compelling infrastructure on which to develop document management applications. A property-based approach avoids many of the problems of traditional heierarchical storage mechanisms, reflects document organizations meaningful to user tasks, provides a means to integrate the perspectives of multiple individuals and groups, and does this all within a uniform interaction framework. Document properties can reflect not only categorizations of documents and document use ...

Keywords: active properties, component software, document management systems, document services, user experience

25 Practitioner reports: Service-oriented architecture and business process





choreography in an order management scenario: rationale, concepts, lessons learned

Olaf Zimmermann, Vadim Doubrovski, Jonas Grundler, Kerard Hogg October 2005 Companion to the 20th annual ACM SIGPLAN conference on Objectoriented programming, systems, languages, and applications OOPSLA

Publisher: ACM Press

Full text available: pdf(437.99 KB) Additional Information: full citation, abstract, references, index terms

Effective and affordable business-to-business process integration is a key success factor in the telecommunications industry. A large telecommunication wholesaler, supplying its services to more than 150 different service retailers, enhanced the process integration capabilities of its core order management system through widespread use of SOA. business process choreography and Web services concepts. This core order management system processes 120 different complex order types. On this project, ch ...

Keywords: B2B, BPEL, HTTP, J2EE, SOAP, WSDL, XML, application server, best practices, business process, order management, process choreography, process integration, serviceoriented architecture, telecommunications, web application, web services, workflow

²⁶ OAI in action: eBizSearch: an OAI-compliant digital library for eBusiness Yves Petinot, Pradeep B. Teregowda, Hui Han, C. Lee Giles, Steve Lawrence, Arvind Rangaswamy, Nirmal Pal



May 2003 Proceedings of the 3rd ACM/IEEE-CS joint conference on Digital libraries Publisher: IEEE Computer Society

Full text available: pdf(630.55 KB)

Additional Information: full citation, abstract, references, citings, index terms

Niche Search Engines offer an efficient alternative to traditional search engines when the results returned by general-purpose search engines do not provide a sufficient degree of

relevance and when nontraditional search features are required. Niche search engines can take advantage of their domain of concentration to achieve higher relevance and offer enhanced features. We discuss a new digital library niche search engine, eBizSearch, dedicated to e-business and e-business documents. The ground ...

²⁷ The IBM data warehouse architecture

Charles Bontempo, George Zagelow

September 1998 Communications of the ACM, Volume 41 Issue 9

Publisher: ACM Press

Full text available: pdf(817.29 KB)

Additional Information: full citation, references, citings, index terms,

review

28 Text file inversion: an evaluation

R. M. Bird, J. B. Newsbaum, J. L. Trefftzs

August 1978 ACM SIGARCH Computer Architecture News, ACM SIGMOD Record, ACM SIGIR Forum, Volume 7, 10, 13 Issue 2, 1, 2

Publisher: ACM Press

Full text available: pdf(774.46 KB) Additional Information: full citation, abstract, references

This paper compares inversion of text files with inversion of more structured records. The unique characteristics of textual data which restrict the utility of inversion are identified and discussed. Inversion is shown to be useful only for small, static data bases, and when full text search is not required.

Information agents for automated browsing

Chanda Dharap, Martin Freeman

November 1996 Proceedings of the fifth international conference on Information and knowledge management

Publisher: ACM Press

Full text available: pdf(1.12 MB) Additional Information: full citation, references, index terms

Trustworthy 100-year digital objects: Evidence after every witness is dead

Henry M. Gladney

July 2004 ACM Transactions on Information Systems (TOIS), Volume 22 Issue 3

Publisher: ACM Press

Full text available: pdf(1.24 MB) Additional Information: full citation, abstract, references, index terms

In ancient times, wax seals impressed with signet rings were affixed to documents as evidence of their authenticity. A digital counterpart is a message authentication code fixed firmly to each important document. If a digital object is sealed together with its own audit trail, each user can examine this evidence to decide whether to trust the content---no matter how distant this user is in time, space, and social affiliation from the document's source. We propose an architecture and design that a ...

31 Session summaries from the 17th symposium on operating systems principle



Jay Lepreau, Eric Eide

April 2000 ACM SIGOPS Operating Systems Review, Volume 34 Issue 2

Publisher: ACM Press

Full text available: Ppdf(3.15 MB) Additional Information: full citation, index terms





32 Application models: Client-system collaboration for legal corpus selection in an online



production environment

Jack G. Conrad, Joanne R. S. Claussen

June 2003 Proceedings of the 9th international conference on Artificial intelligence and law

Publisher: ACM Press

Full text available: pdf(239.10 KB) Additional Information: full citation, abstract, references

The continued growth of very large data environments such as Westlaw and Dialog, in addition to the World Wide Web, increases the importance of effective and efficient database selection and searching. Current research focuses largely on completely autonomous and automatic selection, searching, and results merging in distributed environments. This fully automatic approach has significant deficiencies, including reliance upon thresholds below which databases with relevant documents are not search ...

Keywords: database selection, query categorization, user interaction

33 Data access for the masses through OLE DB



José A. Blakeley

June 1996 ACM SIGMOD Record, Proceedings of the 1996 ACM SIGMOD international conference on Management of data SIGMOD '96, Volume 25 Issue 2

Publisher: ACM Press

Full text available: pdf(1.24 MB)

Additional Information: full citation, abstract, references, citings, index terms

This paper presents an overview of OLE DB, a set of interfaces being developed at Microsoft whose goal is to enable applications to have uniform access to data stored in DBMS and non-DBMS information containers. Applications will be able to take advantage of the benefits of database technology without having to transfer data from its place of origin to a DBMS. Our approach consists of defining an open, extensible Collection of interfaces that factor and encapsulate orthogonal, reusable portions ...

34 Object orientation in multidatabase systems





Evaggelia Pitoura, Omran Bukhres, Ahmed Elmagarmid June 1995 ACM Computing Surveys (CSUR), Volume 27 Issue 2

Publisher: ACM Press

Full text available: pdf(4.85 MB)

Additional Information: full citation, abstract, references, citings, index terms, review

A multidatabase system (MDBS) is a confederation of preexisting distributed, heterogeneous, and autonomous database systems. There has been a recent proliferation of research suggesting the application of object-oriented techniques to facilitate the complex task of designing and implementing MDBSs. Although this approach seems promising, the lack of a general framework impedes any further development. The goal of this paper is to provide a concrete analysis and categorization of the various ...

Keywords: distributed objects, federated databases, integration, multidatabases, views

35 Frontmatter (TOC, Letters, Election results, Software Reliability Resources! Computing Curricula 2004 and the Software Engineering Volume SE2004, Software



Publisher: ACM Press



Full text available: pdf(6.19 MB) Additional Information: full citation, index terms

36 Session 2: secure Web services: Designing a distributed access control processor for



network services on the Web

Reiner Kraft

November 2002 Proceedings of the 2002 ACM workshop on XML security

Publisher: ACM Press

Full text available: pdf(301.14 KB) Additional Information: full citation, abstract, references, index terms

The service oriented architecture (SOA) is gaining more momentum with the advent of network services on the Web. A programmable and machine accessible Web is the vision of many, and might represent a step towards the semantic Web. However, security is a crucial requirement for the serious usage and adoption of the Web services technology. This paper enumerates design goals for an access control model for Web services. It then introduces an abstract general model for Web services components, along ...

Keywords: Web services, XML, access control, security

³⁷ A service management framework for M-commerce applications

Gary Shih, Simon S. Y. Shim

June 2002 Mobile Networks and Applications, Volume 7 Issue 3

Publisher: Kluwer Academic Publishers

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(650.12 KB) terms

Mobile commerce (m-commerce) refers to an ability to conduct wireless commerce transactions using mobile applications in mobile devices. M-commerce applications can range from as simple as an address book synchronization to as complicated as credit card transactions. M-commerce is expected to grow dramatically in the near future supporting simple to complex commerce transactions. Even though the Wireless Application Protocol (WAP) is designed to facilitate the development of wireless application ...

Keywords: JINI, WAP, m-commerce, management, mobile devices

38 Industrial sessions: beyond relational tables: Coordinating backup/recovery and data





consistency between database and file systems

Suparna Bhattacharya, C. Mohan, Karen W. Brannon, Inderpal Narang, Hui-I Hsiao, Mahadevan Subramanian

June 2002 Proceedings of the 2002 ACM SIGMOD international conference on Management of data SIGMOD '02

Publisher: ACM Press

Full text available: pdf(1.44 MB) Additional Information: full citation, abstract, references, index terms

Managing a combined store consisting of database data and file data in a robust and consistent manner is a challenge for database systems and content management systems. In such a hybrid system, images, videos, engineering drawings, etc. are stored as files on a file server while meta-data referencing/indexing such files is created and stored in a relational database to take advantage of efficient search. In this paper we describe solutions for two potentially problematic aspects of such a data ...

Keywords: DB2, content management, database backup, database recovery, datalinks

Design and implementation of a distributed virtual machine for networked computers Emin Gün Sirer, Robert Grimm, Arthur J. Gregory, Brian N. Bershad



December 1999 ACM SIGOPS Operating Systems Review, Proceedings of the seventeenth ACM symposium on Operating systems principles SOSP '99, Volume 33 Issue 5

Publisher: ACM Press

Full text available: pdf(1.62 MB)

Additional Information: full citation, abstract, references, citings, index terms

This paper describes the motivation, architecture and performance of a distributed virtual machine (DVM) for networked computers. DVMs rely on a distributed service architecture to meet the manageability, security and uniformity requirements of large, heterogeneous clusters of networked computers. In a DVM, system services, such as verification, security enforcement, compilation and optimization, are factored out of clients and located on powerful network servers. This partitioning of system fun ...

⁴⁰ Improving the granularity of access control for Windows 2000



Michael M. Swift, Anne Hopkins, Peter Brundrett, Cliff Van Dyke, Praerit Garg, Shannon Chan, Mario Goertzel, Gregory Jensenworth

November 2002 ACM Transactions on Information and System Security (TISSEC), Volume 5 Issue 4

Publisher: ACM Press

Full text available: pdf(447.78 KB)

Additional Information: full citation, abstract, references, citings, index terms, review

This article presents the mechanisms in Windows 2000 that enable fine-grained and centrally managed access control for both operating system components and applications. These features were added during the transition from Windows NT 4.0 to support the Active Directory, a new feature in Windows 2000, and to protect computers connected to the Internet. While the access control mechanisms in Windows NT are suitable for file systems and applications with simple requirements, they fall short of the ...

Keywords: Access control lists, Microsoft Windows 2000, Windows NT, active directory

Results 21 - 40 of 169

Result page: <u>previous</u> <u>1</u> **2** <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u>

The ACM Portal is published by the Association for Computing Machinery, Copyright ?2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player

next



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library • O The Guide

+client +business +components +search +index +identifier +l





THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used client business components search index identifier file

Found 169 of 176,279





Try an Advanced Search Try this search in The ACM Guide

Results 41 - 60 of 169

Result page: <u>previous</u> 1 2 3 4 5 6 7 8 9

Relevance scale 🔲 📟 📟 📟

41 Ubiquitous hypermedia: Integrating the web and the world: contextual trails on the



Frank Allan Hansen, Niels Olof Bouvin, Bent G. Christensen, Kaj Grønbæk, Torben Bach Pedersen, Jevgenii Gagach

August 2004 Proceedings of the fifteenth ACM conference on Hypertext and hypermedia HYPERTEXT '04

Publisher: ACM Press

Full text available: pdf(3.41 MB)

Additional Information: full citation, abstract, references, citings, index terms

This paper presents applications of HyCon, a framework for context aware hypermedia systems. The HyCon framework encompasses annotations, links, and guided tours associating locations and RFID- or Bluetooth-tagged objects with maps, Web pages, and collections of resources. The user-created annotations, links and guided tours, are represented as XLink structures, and HyCon introduces the use of XLink for the representation of recorded geographical paths with annotations and links. The HyCon archi ...

Keywords: SVG, XLink, context aware hypermedia, open hypermedia

42 The software information base: a server for reuse

Panos Constantopoulos, Matthias Jarke, John Mylopoulos, Yannis Vassiliou January 1995 The VLDB Journal — The International Journal on Very Large Data Bases, Volume 4 Issue 1

Publisher: Springer-Verlag New York, Inc.

Full text available: pdf(1.87 MB) Additional Information: full citation, abstract, references, citings

We present an experimental software repository system that provides organization, storage, management, and access facilities for reusable software components. The system, intended as part of an applications development environment, supports the representation of information about requirements, designs and implementations of software, and offers facilities for visual presentation of the software objects. This article details the features and architecture of the repository system, the technical ch ...

Keywords: conceptual modeling, information storage and retrieval, object-oriented databases, reuse, software engineering

The process group approach to reliable distributed computing



Kenneth P. Birman

December 1993 Communications of the ACM, Volume 36 Issue 12

Publisher: ACM Press

Full text available: Pdf(6.00 MB) Additional Information: full citation, references, citings, index terms

Keywords: fault-tolerant process groups, message ordering, multicast communication

44 Information retrieval on the web

Mei Kobayashi, Koichi Takeda

June 2000 ACM Computing Surveys (CSUR), Volume 32 Issue 2

Publisher: ACM Press

Full text available: pdf(213.89 KB)

Additional Information: full citation, abstract, references, citings, index terms

In this paper we review studies of the growth of the Internet and technologies that are useful for information search and retrieval on the Web. We present data on the Internet from several different sources, e.g., current as well as projected number of users, hosts, and Web sites. Although numerical figures vary, overall trends cited by the sources are consistent and point to exponential growth in the past and in the coming decade. Hence it is not surprising that about 85% of Internet user ...

Keywords: Internet, World Wide Web, clustering, indexing, information retrieval, knowledge management, search engine

45 Text file inversion: An evaluation



August 1978 Proceedings of the fourth workshop on Computer architecture for nonnumeric processing


Publisher: ACM Press

Full text available: pdf(679.55 KB)

Additional Information: full citation, abstract, references, citings, index terms

This paper compares inversion of text files with inversion of more structured records. The unique characteristics of textual data which restrict the utility of inversion are identified and discussed. Inversion is shown to be useful only for small, static data bases, and when full text search is not required.

46 Systematic concurrent object-oriented programming



September 1993 Communications of the ACM, Volume 36 Issue 9


Publisher: ACM Press

Full text available: pdf(7.19 MB) Additional Information: full citation, references, citings, index terms

Keywords: Eiffel, concurrency, object-oriented concurrent programming

47 <u>Authentication in distributed systems: theory and practice</u> Butler Lampson, Martín Abadi, Michael Burrows, Edward Wobber







November 1992 ACM Transactions on Computer Systems (TOCS), Volume 10 Issue 4 **Publisher: ACM Press**

Full text available: pdf(3.37 MB)

Additional Information: full citation, abstract, references, citings, index terms, review

We describe a theory of authentication and a system that implements it. Our theory is based on the notion of principal and a "speaks for" relation between principals. A simple principal either has a name or is a communication channel; a compound principal can express an adopted role or delegated authority. The theory shows how to reason about a principal's authority by deducing the other principals that it can speak for; authenticating a channel is one important application. We ...

Keywords: certification authority, delegation, group, interprocess communication, key distribution, loading programs, path name, principal, role, secure channel, speaks for, trusted computing base

48 Special issue: Al in engineering

D. Sriram, R. Joobbani


April 1985 ACM SIGART Bulletin, Issue 92

Publisher: ACM Press

Full text available: pdf(8.79 MB) Additional Information: full citation, abstract

The papers in this special issue were compiled from responses to the announcement in the July 1984 issue of the SIGART newsletter and notices posted over the ARPAnet. The interest being shown in this area is reflected in the sixty papers received from over six countries. About half the papers were received over the computer network.

The Multics kernel design project



November 1977 Proceedings of the sixth ACM symposium on Operating systems principles

Publisher: ACM Press

Full text available: pdf(1.31 MB)

Additional Information: full citation, abstract, references, citings, index terms

We describe a plan to create an auditable version of Multics. The engineering experiments of that plan are now complete. Type extension as a design discipline has been demonstrated feasible, even for the internal workings of an operating system, where many subtle intermodule dependencies were discovered and controlled. Insight was gained into several tradeoffs between kernel complexity and user semantics. The performance and size effects of this work are encouraging. We conclude that verifi ...

Keywords: Multics, Operating systems, Protection, Security, Security kernel, Supervisors, Type extension, Verifiable systems

Archival storage for digital libraries

Arturo Crespo, Hector Garcia-Molina

May 1998 Proceedings of the third ACM conference on Digital libraries

Publisher: ACM Press

Full text available: pdf(1.32 MB) Additional Information: full citation, references, citings, index terms

51 Research sessions: potpourri: Executing SQL over encrypted data in the databaseservice-provider model





Hakan Hacigümüş, Bala İyer, Chen Li, Sharad Mehrotra

June 2002 Proceedings of the 2002 ACM SIGMOD international conference on Management of data SIGMOD '02

Publisher: ACM Press

Full text available: pdf(1.25 MB)

Additional Information: full citation, abstract, references, citings, index terms

Rapid advances in networking and Internet technologies have fueled the emergence of the "software as a service" model for enterprise computing. Successful examples of commercially viable software services include rent-a-spreadsheet, electronic mail services, general storage services, disaster protection services. "Database as a Service" model provides users power to create, store, modify, and retrieve data from anywhere in the world, as long as they have access to the Internet. It introduces sev ...

52 A window-based help, tutorial and documentation system



Jean-Marie Comeau, Peter R. Milton

November 1993 Proceedings of the 11th annual international conference on Systems documentation

Publisher: ACM Press

Full text available: pdf(1.07 MB)

Additional Information: full citation, references, index terms

53 Early user---system interaction for database selection in massive domain-specific





online environments

Jack G. Conrad, Joanne R. S. Claussen

January 2003 ACM Transactions on Information Systems (TOIS), Volume 21 Issue 1

Publisher: ACM Press

Full text available: pdf(845.54 KB) Additional Information: full citation, abstract, references, index terms

The continued growth of very large data environments such as Westlaw and Dialog, in addition to the World Wide Web, increases the importance of effective and efficient database selection and searching. Current research focuses largely on completely autonomous and automatic selection, searching, and results merging in distributed environments. This fully automatic approach has significant deficiencies, including reliance upon thresholds below which databases with relevant documents are not search ...

Keywords: Database selection, metadata for retrieval, structuring information to aid search and navigation, user interaction

54 Formalizing the safety of Java, the Java virtual machine, and Java card



Pieter H. Hartel, Luc Moreau

December 2001 ACM Computing Surveys (CSUR), Volume 33 Issue 4

Publisher: ACM Press

Full text available: pdf(442.86 KB)

Additional Information: full citation, abstract, references, citings, index

We review the existing literature on Java safety, emphasizing formal approaches, and the impact of Java safety on small footprint devices such as smartcards. The conclusion is that although a lot of good work has been done, a more concerted effort is needed to build a coherent set of machine-readable formal models of the whole of Java and its implementation. This is a formidable task but we believe it is essential to build trust in Java safety, and thence to achieve ITSEC level 6 or Common Crite ...

Keywords: Common criteria, programming

55 The structure of Cedar



June 1985 ACM SIGPLAN Notices, ACM SIGPLAN Notices, Proceedings of the ACM SIGPLAN 85 symposium on Language issues in programming

environments, Volume 20, 18 Issue 7, 6

Publisher: ACM Press

Full text available: pdf(1.79 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, index terms

This paper presents an overview of the Cedar programming environment, focusing primarily on its overall structure: the major components of Cedar and the way they are organized. Cedar supports the development of programs written in a single programming language, also called Cedar. We will emphasize the extent to which the Cedar language, with runtime support, has influenced the organization, comprehensibility, and stability of Cedar. Produced in the Computer Science Laboratory (CS ...

The use of web structure and content to identify subjectively interesting web usage



patterns

Robert Cooley

May 2003 ACM Transactions on Internet Technology (TOIT), Volume 3 Issue 2

Publisher: ACM Press

Full text available: pdf(540.06 KB) Additional Information: full citation, abstract, references, index terms

The discipline of Web Usage Mining has grown rapidly in the past few years, despite the crash of the e-commerce boom of the late 1990s. Web Usage Mining is the application of data mining techniques to Web clickstream data in order to extract usage patterns. Yet, with all of the resources put into the problem, claims of success have been limited and are often tied to specific Web site properties that are not found in general. One reason for the limited success has been a component of Web Usage Mi ...

Keywords: Data mining, Web usage mining, World Wide Web

57 Research sessions: indexing and tuning: Transaction support for indexed summary





🜦 <u>views</u>

Goetz Graefe, Michael Zwilling

June 2004 Proceedings of the 2004 ACM SIGMOD international conference on Management of data

Publisher: ACM Press

Full text available: pdf(168.70 KB) Additional Information: full citation, abstract, references

Materialized views have become a standard technique for performance improvement in decision support databases and for a variety of monitoring purposes. In order to avoid inconsistencies and thus unpredictable query results, materialized views and their indexes should be maintained immediately within user transaction just like indexes on ordinary tables. Unfortunately, the smaller a materialized view is, the higher the concurrency contention between queries and updates as well as among concurrent ...

58 A survey and analysis of Electronic Healthcare Record standards



Marco Eichelberg, Thomas Aden, Jörg Riesmeier, Asuman Dogac, Gokce B. Laleci December 2005 ACM Computing Surveys (CSUR), Volume 37 Issue 4

Publisher: ACM Press

Full text available: pdf(844.11 KB) Additional Information: full citation, abstract, references, index terms

Medical information systems today store clinical information about patients in all kinds of proprietary formats. To address the resulting interoperability problems, several Electronic Healthcare Record standards that structure the clinical content for the purpose of exchange are currently under development. In this article, we present a survey of the most relevant Electronic Healthcare Record standards, examine the level of interoperability they provide, and assess their functionality in terms o ...

Keywords: Electronic Healthcare Record standards, eHealth, interoperability

The Web Service Discovery Architecture

Wolfgang Hoschek

November 2002 Proceedings of the 2002 ACM/IEEE conference on Supercomputing

Publisher: IEEE Computer Society Press

Full text available: pdf(282.28 KB) Additional Information: full citation, abstract, references, index terms

In this paper, we propose the Web Service Discovery Architecture (WSDA). At runtime, Grid applications can use this architecture to discover and adapt to remote services. WSDA promotes an interoperable web service discovery layer by defining appropriate services, interfaces, operations and protocol bindings, based on industry standards. It is unified because it subsumes an array of disparate concepts, interfaces and protocols under a single semi-transparent umbrella. It is modular because it def ...

60 Extraction and Visualization: Webformulate: a web-based visual continual guery



system

Jennifer Leopold, Meg Heimovics, Tyler Palmer

May 2002 Proceedings of the 11th international conference on World Wide Web **Publisher: ACM Press**

Full text available: pdf(423.60 KB) Additional Information: full citation, abstract, references, index terms

Today there is a plethora of data accessible via the Internet. The Web has greatly simplified the process of searching for, accessing, and sharing information. However, a considerable amount of Internet-distributed data still goes unnoticed and unutilized, particularly in the case of frequently-updated, Internet-distributed databases. In this paper we give an overview of WebFormulate, a Web-based visual continual guery system that addresses the problems associated with formulating tempora ...

Keywords: continual query, visual programming language, visual query system

Results 41 - 60 of 169 Result page: previous $\underline{1}$ $\underline{2}$ $\underline{3}$ $\underline{4}$ $\underline{5}$ $\underline{6}$ $\underline{7}$ $\underline{8}$ $\underline{9}$

The ACM Portal is published by the Association for Computing Machinery. Copyright ?2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Mindows Media Player



Subscribe (Full Service) Register (Limited Service, Free) Login

Search:

The ACM Digital Library O The Guide

+client +business +components +search +index +identifier +1




THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used client business components search index identifier file

Found 169 of 176,279



Save results to a Binder Search Tips ☐ Open results in a new window

Try an Advanced Search Try this search in The ACM Guide

Results 61 - 80 of 169

Result page: previous 1 2 3 **4** 5 6 7 8 9

Relevance scale

61 The computing research repository: promoting the rapid dissemination and archiving

of computer science research Joseph Y. Halpern, Carl Lagoze

August 1999 Proceedings of the fourth ACM conference on Digital libraries

Publisher: ACM Press

Full text available: pdf(113.94 KB) Additional Information: full citation, references, citings, index terms

62 Performance Workload Char. and Adaptation: Aliasing on the world wide web:





prevalence and performance implications

Terence Kelly, Jeffrey Mogul

May 2002 Proceedings of the 11th international conference on World Wide Web

Publisher: ACM Press

Full text available: pdf(376.28 KB)

Additional Information: full citation, abstract, references, citings, index terms

Aliasing occurs in Web transactions when requests containing different URLs elicit replies containing identical data payloads. Conventional caches associate stored data with URLs and can therefore suffer redundant payload transfers due to aliasing and other causes. Existing research literature, however, says little about the prevalence of aliasing in userinitiated transactions, or about redundant payload transfers in conventional Web cache hierarchies. This paper quantifies the extent of aliasin ...

Keywords: DTD, HTTP, WWW, Zipf's law, aliasing, cache hierarchies, caching, duplicate suppression, duplicate transfer detection, hypertext transfer protocol, performance analysis, redundant transfers, resource modification, world wide web

63 General storage protection techniques: Securing distributed storage: challenges,





techniques, and systems

Vishal Kher, Yongdae Kim

November 2005 Proceedings of the 2005 ACM workshop on Storage security and survivability StorageSS '05

Publisher: ACM Press

Full text available: pdf(294.61 KB) Additional Information: full citation, abstract, references, index terms

The rapid increase of sensitive data and the growing number of government regulations that require longterm data retention and protection have forced enterprises to pay serious attention to storage security. In this paper, we discuss important security issues related to storage and present a comprehensive survey of the security services provided by the existing storage systems. We cover a broad range of the storage security literature, present a critical review of the existing solutions, compare ...

Keywords: authorization, confidentiality, integrity, intrusion detection, privacy

⁶⁴ Transforming the content management process at IBM.com

Louis Weitzman, Sara Elo Dean, Dikran Meliksetian, Kapil Gupta, Nianjun Zhou, Jessica Wu April 2002 Case studies of the CHI2002 AIGA Experience Design FORUM

Publisher: ACM Press

Full text available: pdf(1.45 MB)

Additional Information: full citation, abstract, references, citings, index terms

This case study explores the evolution of the Franklin Content Management System, developed by IBM's Internet Technology Group, Franklin began as a technology-driven process to provide a web content management solution with the following goals: content reusability, simplified management of content and design that enforces integrity and consistency, the customization of content to individual users, and the delivery of content to a variety of display devices. These goals were met in part by the dec ...

Keywords: DTD, XML, XSL, content management, content reuse, customization, information architecture, object dependency, software development, web publishing

⁶⁵ Abstracts of Articles in the Information Retrieval Area Selected by Gerard Salton




Publisher: ACM Press

Full text available: pdf(1.10 MB) Additional Information: full citation

September 1986 ACM SIGIR Forum, Volume 21 Issue 1-2

Vision & challenges: A peer-to-peer approach to wireless LAN roaming



September 2003 Proceedings of the 1st ACM international workshop on Wireless mobile applications and services on WLAN hotspots

Publisher: ACM Press


Full text available: pdf(279.70 KB)

Additional Information: full citation, abstract, references, citings, index terms

We make the case for a Global Confederation of Peer-to-Peer (P2P) Wireless Local Area Networks. A P2P Wireless Network Confederation (P2PWNC) is a community of administrative domains that offer wireless Internet access to each other's registered users. The ubiquitous Internet access that the roaming users of these domains could enjoy compensates for their home domain's cost of providing access to visitors. Existing roaming schemes utilize central authorities or bilateral contracts to control acc ...

Keywords: P2P, WISP, WLAN, Wi-Fi, incentives, mixes, privacy, roaming

<u>Transaction processing monitors</u>



November 1990 Communications of the ACM, Volume 33 Issue 11



Publisher: ACM Press

Full text available: pdf(3.06 MB)

Additional Information: full citation, abstract, references, citings, index terms, review

A transaction processing (TP) application is a program that performs an administrative function by accessing a shared database on behalf of an on-line user. A TP system is an integrated set of products that supports TP applications. These products include both hardware, such as processors, memories, disks and communications controllers, and software such as operating systems (Oss), database management systems (DBMSs), computer networks and TP monitors. Much of the integration of these prod ...

68 Object operations benchmark

R. G. G. Cattell, J. Skeen

March 1992 ACM Transactions on Database Systems (TODS), Volume 17 Issue 1

Publisher: ACM Press

Full text available: pdf(2.08 MB)

Additional Information: full citation, abstract, references, citings, index terms, review

Performance is a major issue in the acceptance of object-oriented and relational database systems aimed at engineering applications such as computer-aided software engineering (CASE) and computer-aided design (CAD). Because traditional database systems benchmarks are inapproriate to measure performance for operations on engineering objects, we designed a new benchmark Object Operations version 1 (OO1) to focus on important characteristics of these applications. OO1 is descended from an ear ...

Keywords: CAD, CASE, client-server architecture, engineering database benchmark, hypermodel, object operations benchmark, object-oriented DBMS's, relation of DBMS's, workstations

The state of the art in automating usability evaluation of user interfaces

Melody Y. Ivory, Marti A Hearst

December 2001 ACM Computing Surveys (CSUR), Volume 33 Issue 4

Publisher: ACM Press

Full text available: pdf(2.31 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms, review

Usability evaluation is an increasingly important part of the user interface design process. However, usability evaluation can be expensive in terms of time and human resources, and automation is therefore a promising way to augment existing approaches. This article presents an extensive survey of usability evaluation methods, organized according to a new taxonomy that emphasizes the role of automation. The survey analyzes existing techniques, identifies which aspects of usability evaluation aut ...

Keywords: Graphical user interfaces, taxonomy, usability evaluation automation, web interfaces

70 Cost-based query optimization for metadata repositories

Martin Staudt, René Soiron, Christoph Quix, Matthias Jarke

March 1999 ACM SIGAPP Applied Computing Review, Volume 7 Issue 2

Publisher: ACM Press

Full text available: pdf(1.04 MB) Additional Information: full citation, abstract, citings, index terms

Query optimization strategies for repository systems must take into account the rich and often unpredictable structure of metadata, as well as supporting complex analysis of relationships between those structures. This paper describes rationale, design, and





system integration of a cost-based query optimizer offered in ConceptBase, a metadata manager that supports these capabilities by a deductive object-oriented data model. In contrast to most implemented DBMS, the optimizer is not based on the ...

71 RBAC for Collaborative Environments: Role-based access control for collaborative



enterprise in peer-to-peer computing environments Joon S. Park, Junseok Hwang

June 2003 Proceedings of the eighth ACM symposium on Access control models and technologies

Publisher: ACM Press

Full text available: pdf(324.70 KB) Additional Information: full citation, abstract, references, index terms

In Peer-to-Peer (P2P) computing environments, each participant (peer) acts as both client and content provider. This satisfies the requirement that resources should be increasingly made available by being published to other users from a user's machine. Compared with services performed by the client-server model, P2P-based services have several advantages. However, wide-scale application of P2P computing is constrained by limitations associated with the especially sophisticated control mechanisms ...

Keywords: peer-to-peer computing, role-based access control, security

72 Columns: Surfing the net for software engineering notes



Mark Doernhoefer

July 2001 ACM SIGSOFT Software Engineering Notes, Volume 26 Issue 4

Publisher: ACM Press

Full text available: pdf(2.32 MB) Additional Information: full citation

73 Digital rights management for content distribution

Qiong Liu, Reihaneh Safavi-Naini, Nicholas Paul Sheppard

January 2003 Proceedings of the Australasian information security workshop conference on ACSW frontiers 2003 - Volume 21 CRPITS '03

Publisher: Australian Computer Society, Inc.

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(224.63 KB) terms

Transferring the traditional business model for selling digital goods linked to physical media to the online world leads to the need for a system to protect digital intellectual property. Digital Rights Management(DRM) is a system to protect high-value digital assets and control the distribution and usage of those digital assets. This paper presents a review of the current state of DRM, focusing on security technologies, underlying legal implications and main obstacles to DRM deployment with the ...

Keywords: DRM, digital content

74 Cryptography and competition policy: issues with 'trusted computing'




July 2003 Proceedings of the twenty-second annual symposium on Principles of distributed computing

Publisher: ACM Press

Additional Information: full citation, abstract, references, index terms, Full text available: mpdf(991.66 KB) review

The most significant strategic development in information technology over the past year





has been 'trusted computing'. This is popularly associated with Microsoft's 'Palladium' project, recently renamed 'NGSCB'. In this paper, I give an outline of the technical aspects of 'trusted computing' and sketch some of the public policy consequences.

75 Scalable Grid Service Discovery based on UDDI



Sujata Banerjee, Sujoy Basu, Shishir Garg, Sukesh Garg, Sung-Ju Lee, Pramila Mullan, Puneet Sharma

November 2005 Proceedings of the 3rd international workshop on Middleware for grid computing MGC '05

Publisher: ACM Press

Full text available: pdf(391.56 KB) Additional Information: full citation, abstract, references, index terms

Efficient discovery of grid services is essential for the success of grid computing. The standardization of grids based on web services has resulted in the need for scalable web service discovery mechanisms to be deployed in grids Even though UDDI has been the de facto industry standard for web-services discovery, imposed requirements of tightreplication among registries and lack of autonomous control has severely hindered its widespread deployment and usage. With the advent of grid computing t ...

Keywords: DHT, MDS, UDDI, discovery, grid computing, web services

76 Role-based access control on the web.



Joon S. Park, Ravi Sandhu, Gail-Joon Ahn

February 2001 ACM Transactions on Information and System Security (TISSEC), Volume 4 Issue 1

Publisher: ACM Press

Full text available: pdf(331.03 KB)

Additional Information: full citation, abstract, references, citings, index terms, review

Current approaches to access control on the Web servers do not scale to enterprise-wide systems because they are mostly based on individual user identities. Hence we were motivated by the need to manage and enforce the strong and efficient RBAC access control technology in large-scale Web environments. To satisfy this requirement, we identify two different architectures for RBAC on the Web, called user-pull and server-pull. To demonstrate feasibility, we im ...

Keywords: WWW security, cookies, digital certificates, role-based access control

77 MPEG-4: an object-based multimedia coding standard supporting mobile applications



Atul Puri, Alexandros Eleftheriadis

June 1998 Mobile Networks and Applications, Volume 3 Issue 1

Publisher: Kluwer Academic Publishers

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(747.80 KB) terms, review

The ISO MPEG committee, after successful completion of the MPEG-1 and the MPEG-2 standards is currently working on MPEG-4, the third MPEG standard. Originally, MPEG-4 was conceived to be a standard for coding of limited complexity audio-visual scenes at very low bit-rates; however, in July 1994, its scope was expanded to include coding of scenes as a collection of individual audio-visual objects and enabling a range of advanced functionalities not supported by other standards. One of the ke ...

78 Andrew: a distributed personal computing environment



James H. Morris, Mahadev Satyanarayanan, Michael H. Conner, John H. Howard, David S. Rosenthal, F. Donelson Smith

March 1986 Communications of the ACM, Volume 29 Issue 3

Publisher: ACM Press

Full text available: pdf(2.16 MB)

Additional Information: full citation, abstract, references, citings, index terms, review

The Information Technology Center (ITC), a collaborative effort between IBM and Carnegie-Mellon University, is in the process of creating Andrew, a prototype computing and communication system for universities. This article traces the origins of Andrew, discusses its goals and strategies, and gives an overview of the current status of its implementation and usage.

79 <u>Using Web Service Technologies to Create an Information Broker: An Experience</u> Report

Mark Turner, Fujun Zhu, Ioannis Kotsiopoulos, Michelle Russell, David Budgen, Keith Bennett, Pearl Brereton, John Keane, Paul Layzell, Michael Rigby

May 2004 Proceedings of the 26th International Conference on Software **Engineering ICSE '04**

Publisher: IEEE Computer Society

Full text available: pdf(305.99 KB) Additional Information: full citation, abstract, index terms

This paper reports on our experiences with using theemerging web service technologies and tools to create ademonstration information broker system as part of ourresearch into information management in a distributed environment. To provide a realistic context we chose tostudy the use of information in the healthcare domain, and this context sets some challenging parameters and constraints for our research and for the demonstration system. In this paper we both report on the extent towhich existing we ...

80 Draft report of the Federal Internetworking Requirements Panel, and selected



responses

Diane Fountaine

April 1994 ACM SIGCOMM Computer Communication Review, Volume 24 Issue 2

Publisher: ACM Press

Full text available: pdf(4.15 MB) Additional Information: full citation, index terms

Results 61 - 80 of 169 Result page: <u>previous</u> <u>1</u> <u>2</u> <u>3</u> **4** <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u>

The ACM Portal is published by the Association for Computing Machinery, Copyright ?2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library • The Guide

+client +business +components +search +index +identifier +i





THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used client business components search index identifier file

Found **169** of **176,279**





Try an Advanced Search Try this search in The ACM Guide

Results 81 - 100 of 169

Result page: previous 1 2 3 4 5 6 7 8 9

Technical columns: Distributed computing research issues in grid computing

Henri Casanova

September 2002 ACM SIGACT News, Volume 33 Issue 3

Publisher: ACM Press

Full text available: pdf(1.99 MB)

Additional Information: full citation, abstract, references

Ensembles of distributed, heterogeneous resources, or Computational Grids, have emerged as popular platforms for deploying large-scale and resource-intensive applications. Large collaborative efforts are currently underway to provide the necessary software infrastructure. Grid computing raises challenging issues in many areas of computer science, and especially in the area of distributed computing, as Computational Grids cover increasingly large networks and span many organi ...

82 Location-aware mobile applications based on directory services

Henning Maass

August 1998 Mobile Networks and Applications, Volume 3 Issue 2

Publisher: Kluwer Academic Publishers

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(421.47 KB) terms

Location-aware applications are becoming increasingly attractive due to the widespread dissemination of wireless networks and the emergence of small and cheap locating technologies. We developed a location information server that simplifies and speeds up the development of these applications by offering a set of generic location retrieval and notification services to the application. The data model and the access protocols of these services are based on the X.500 directory service and the I ...

83 iMobile EE: an enterprise mobile service platform

Yih-Farn Chen, Huale Huang, Rittwik Jana, Trevor Jim, Matti Hiltunen, Sam John, Serban Jora, Radhakrishnan Muthumanickam, Bin Wei

July 2003 Wireless Networks, Volume 9 Issue 4

Publisher: Kluwer Academic Publishers

Full text available: pdf(2.90 MB) Additional Information: full citation, abstract, references, index terms

iMobile1 is an enterprise mobile service platform that allows resource-limited mobile devices to communicate with each other and to securely access corporate contents and services. The original iMobile architecture consists of devlets that provide protocol



interfaces to different mobile devices and infolets that access and transcode information based on device profiles. iMobile Enterprise Edition (iMobile EE) is a redesign of the original iMobile architecture to address the security, ...

Keywords: content transcoding, middleware, mobile devices, mobile enterprise, mobile multimedia services

84 Industry track session: Automated cleansing for spend analytics



Moninder Singh, Jayant R. Kalagnanam, Sudhir Verma, Amit J. Shah, Swaroop K. Chalasani October 2005 Proceedings of the 14th ACM international conference on Information and knowledge management CIKM '05

Publisher: ACM Press

Full text available: Podf(490.93 KB) Additional Information: full citation, abstract, references, index terms

The development of an aggregate view of the procurement spend across an enterprise using transactional data is increasingly becoming a very important and strategic activity. Not only does it provide a complete and accurate picture of what the enterprise is buying and from whom, it also allows it to consolidate suppliers, as well as negotiate better prices. The importance, as well as the complexity, of this cleansing exercise is further magnified by the increasing popularity of Business Transform ...

Keywords: commodity mapping, information retrieval, knowledge management, spend analysis, unstructured data

85 Industry track: RStar: an RDF storage and query system for enterprise resource





Li Ma, Zhong Su, Yue Pan, Li Zhang, Tao Liu

November 2004 Proceedings of the thirteenth ACM international conference on Information and knowledge management CIKM '04

Publisher: ACM Press

Full text available: pdf(704.00 KB) Additional Information: full citation, abstract, references, index terms

Modern corporations operate in an extremely complex environment and strongly depend on all kinds of information resources across the enterprise. Unfortunately, with the growth of an enterprise, its information resources are not only heterogeneous but also distributed in physically different systems and databases. How to effectively exploit information across the enterprise is becoming a critical but hard problem. In recent years, metadata which is the detailed description of the data is used ...

Keywords: RDF query language, RDF storage, metadata, ontology, resource management

Personal distributed computing: the Alto and Ethernet software





Publisher: ACM Press

Full text available: pdf(3.00 MB)

Additional Information: full citation, abstract, references, citings, index terms

The personal distributed computing system based on the Alto and the Ethernet was a major effort to make computers help people to think and communicate. The paper describes the complex and diverse collection of software that was built to pursue this goal, ranging from operating systems, programming environments, and communications software to printing and file servers, user interfaces, and applications such as editors. illustrators, and mail systems.

87 Modeling and assessing inference exposure in encrypted databases



Alberto Ceselli, Ernesto Damiani, Sabrina De Capitani Di Vimercati, Sushil Jajodia, Stefano Paraboschi, Pierangela Samarati

February 2005 ACM Transactions on Information and System Security (TISSEC), Volume 8 Issue 1

Publisher: ACM Press

Full text available: pdf(727.96 KB) Additional Information: full citation, abstract, references, index terms

The scope and character of today's computing environments are progressively shifting from traditional, one-on-one client-server interaction to the new cooperative paradigm. It then becomes of primary importance to provide means of protecting the secrecy of the information, while guaranteeing its availability to legitimate clients. Operating online querying services securely on open networks is very difficult; therefore many enterprises outsource their data center operations to external applicati ...

Keywords: Cryptography, database service, indexing, inference

88 Implementing catalog clearinghouses with XML and XSL



Andrew V. Royappa

February 1999 Proceedings of the 1999 ACM symposium on Applied computing

Publisher: ACM Press

Full text available: pdf(753.90 KB) Additional Information: full citation, references, citings, index terms

Keywords: SGML, XML, XSL, e-commerce

89 Applications and architecture: SHOCK: communicating with computational messages





and automatic private profiles

Rajan M. Lukose, Eytan Adar, Joshua R. Tyler, Caesar Sengupta

May 2003 Proceedings of the 12th international conference on World Wide Web

Publisher: ACM Press

Full text available: pdf(693.99 KB) Additional Information: full citation, abstract, references, index terms

A computationally enhanced message contains some embedded programmatic components that are interpreted and executed automatically upon receipt. Unlike ordinary text email or instant messages, they make possible a number of useful applications. In this paper, we describe a general and flexible messaging system called SHOCK that extends the functionality of prior computational email systems by allowing XML-encoded SHOCK messages to interact with an automatically created profile of a user. These pr ...

Keywords: collaborative systems, networking and distributed web applications, privacy and preferences

Third Generation Computer Systems



Peter J. Denning

December 1971 ACM Computing Surveys (CSUR), Volume 3 Issue 4

Publisher: ACM Press

Full text available: pdf(3.52 MB)

Additional Information: full citation, abstract, references, citings, index

terms

The common features of third generation operating systems are surveyed from a general view, with emphasis on the common abstractions that constitute at least the basis for a "theory" of operating systems. Properties of specific systems are not discussed except where examples are useful. The technical aspects of issues and concepts are stressed, the nontechnical aspects mentioned only briefly. A perfunctory knowledge of third generation systems is presumed.

A scaleable event infrastructure for peer to peer grids

Geoffrey Fox, Shrideep Pallickara, Xi Rao

November 2002 Proceedings of the 2002 joint ACM-ISCOPE conference on Java Grande

Publisher: ACM Press

Full text available: pdf(400.08 KB) Additional Information: full citation, abstract, references, index terms

In this paper we propose a peer-to-peer (P2P) grid comprising resources such as relatively static clients, high-end resources and a dynamic collection of multiple P2P subsystems. We investigate the architecture of the messaging and event service that will support such a hybrid environment. We designed a distributed publish-subscribe system NaradaBrokering for XML specified messages. NaradaBrokering interpolates between centralized systems like JMS (Java Message Service) and P2P environments. Her ...

Keywords: JXTA, P2P systems, event distribution systems, grid computing, middleware

92 Interoperability of multiple autonomous databases

Witold Litwin, Leo Mark, Nick Roussopoulos

September 1990 ACM Computing Surveys (CSUR), Volume 22 Issue 3

Publisher: ACM Press

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(2.66 MB) terms, review

Database systems were a solution to the problem of shared access to heterogeneous files created by multiple autonomous applications in a centralized environment. To make data usage easier, the files were replaced by a globally integrated database. To a large extent, the idea was successful, and many databases are now accessible through local and longhaul networks. Unavoidably, users now need shared access to multiple autonomous databases. The question is what the corresponding methodology ...

93 A reengineering framework for evaluating a financial imaging system

Henry C. Lucas, Donald J. Berndt, Greg Truman May 1996 Communications of the ACM. Volume 39 Issue 5

Publisher: ACM Press

Full text available: pdf(261.73 KB) Additional Information: full citation, references, citings, index terms

94 Columns: Risks to the public in computers and related systems

Peter G. Neumann January 2001 ACM SIGSOFT Software Engineering Notes, Volume 26 Issue 1

Publisher: ACM Press

Full text available: pdf(3.24 MB) Additional Information: full citation

95 Technical correspondence CORPORATE Tech Correspondence



October 1989 Communications of the ACM, Volume 32 Issue 10

Publisher: ACM Press

Full text available: pdf(2.15 MB)

Additional Information: full citation, references, citings, index terms

96 Architecture and implementation of Web sites: Design for verification for



asynchronously communicating Web services

Aysu Betin-Can, Tevfik Bultan, Xiang Fu

May 2005 Proceedings of the 14th international conference on World Wide Web

Publisher: ACM Press

Full text available: pdf(149.82 KB) Additional Information: full citation, abstract, references, index terms

We present a design for verification approach to developing reliable web services. We focus on composite web services which consist of asynchronously communicating peers. Our goal is to automatically verify properties of interactions among such peers. We propose a design pattern that eases the development of such web services and enables a modular, assume-quarantee style verification strategy. In the proposed design pattern, each peer is associated with a behavioral interface description which s ...

Keywords: BPEL, asynchronous communication, composite web services, design patterns

97 Versioning and fragmentation: Fine-grained, structured configuration management



for web projects

Tien Nhut Nguyen, Ethan Vincent Munson, Cheng Thao

May 2004 Proceedings of the 13th international conference on World Wide Web

Publisher: ACM Press


Full text available: pdf(698.15 KB)

Additional Information: full citation, abstract, references, citings, index

Researchers in Web engineering have regularly noted that existing Web application development environments provide little support for managing the evolution of Web applications. Key limitations of Web development environments include line-oriented change models that inadequately represent Web document semantics and in ability to model changes to link structure or the set of objects making up the Webapplication. Developers may find it difficult to grasp how theoverall structure of the Web applica ...

Keywords: software configuration management, version control, web engineering

⁹⁸ Ext3cow: a time-shifting file system for regulatory compliance



May 2005 ACM Transactions on Storage (TOS), Volume 1 Issue 2

Publisher: ACM Press

Full text available: Ppdf(443.01 KB) Additional Information: full citation, abstract, references, index terms

The ext3cow file system, built on the popular ext3 file system, provides an open-source file versioning and snapshot platform for compliance with the versioning and audtitability requirements of recent electronic record retention legislation. Ext3cow provides a timeshifting interface that permits a real-time and continuous view of data in the past. Timeshifting does not pollute the file system namespace nor require snapshots to be mounted as a separate file system. Further, ext3cow is i ...

Keywords: Versioning file systems, copy-on-write

99 What does aspect-oriented programming mean to Cobol? Ralf Lämmel, Kris De Schutter



March 2005 Proceedings of the 4th international conference on Aspect-oriented software development AOSD '05

Publisher: ACM Press

Full text available: Ppdf(172.28 KB) Additional Information: full citation, abstract, references, index terms

We study AOP in the context of business programming with Cobol. We face the following questions: What are join points in Cobol programs? What is advice? Does classic Cobol provide any constructs that hint at AOP? (Yes!) What are typical crosscutting concerns in the Cobol world? How do otherwise typical crosscutting concerns make sense for Cobol? How does AOP for Cobol align with classic re-engineering transformations for Cobol? We deliver an AOP language design for Cobol. Codename: AspectCobol. ...

Keywords: Cobol, aspect-oriented programming, business programming

100 A loosely-coupled integration of a text retrieval system and an object-oriented





database system

W. Bruce Croft, Lisa A. Smith, Howard R. Turtle

June 1992 Proceedings of the 15th annual international ACM SIGIR conference on Research and development in information retrieval

Publisher: ACM Press

Full text available: pdf(854.18 KB)

Additional Information: full citation, abstract, references, citings, index terms

Document management systems are needed for many business applications. This type of system would combine the functionality of a database system, (for describing, storing and maintaining documents with complex structure and relationships) with a text retrieval system (for effective retrieval based on full text). The retrieval model for a document management system is complicated by the variety and complexity of the objects that are represented. In this paper, we describe an approach to compl ...

Results 81 - 100 of 169

Result page: <u>previous</u> 1 2 3 4 5 6 7 8 9 next

The ACM Portal is published by the Association for Computing Machinery. Copyright ?2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library • O The Guide

+client +business +components +search +index +identifier +i



THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used client business components search index identifier file

Found 169 of 176,279

Sort results by relevance Display results expanded form

Save results to a Binder Search Tips Open results in a new

Try an Advanced Search Try this search in The ACM Guide

Results 101 - 120 of 169

Result page: <u>previous</u> <u>1</u> <u>2</u> <u>3</u> <u>4</u> <u>5</u> **6** <u>7</u> <u>8</u> <u>9</u>

Relevance scale 🔲 📟 📟 📟

101 The metadata enigma

Ganesan Shankaranarayanan, Adir Even

February 2006 Communications of the ACM, Volume 49 Issue 2

window

Publisher: ACM Press

Full text available: pdf(112.89 KB) 1 html(31.26 KB)

Additional Information: full citation, abstract, references, index terms

Metadata promises too much value as a business management tool to dismiss its implementation and maintenance effort as the equivalent of Sisyphean torture.

102 Analysis of enterprise media server workloads: access patterns, locality, content evolution, and rates of change



Ludmila Cherkasova, Minaxi Gupta

October 2004 IEEE/ACM Transactions on Networking (TON), Volume 12 Issue 5

Publisher: IEEE Press

Full text available: pdf(574.62 KB) Additional Information: full citation, abstract, references, index terms

Understanding the nature of media server workloads is crucial to properly designing and provisioning current and future media services. The main issue we address in this paper is the workload analysis of today's enterprise media servers. This analysis aims to establish a set of properties specific to the enterprise media server workloads and to compare them to well-known related observations about the web server workloads. We partition the media workload properties in two groups: static and t ...

Keywords: access patterns, content evolution, dynamics, enterprise media servers, locality, sharing patterns, static and temporal properties, workload analysis

103 EFTS social and technical issues: what are EFTS?



September 1976 ACM SIGCAS Computers and Society, Volume 7 Issue 3

Publisher: ACM Press


Full text available: pdf(1.26 MB)

Additional Information: full citation, references, citings

104



Characterizing a national community web





Publisher: ACM Press

Full text available: pdf(364.77 KB) Additional Information: full citation, abstract, references, index terms

This article presents a characterization of the community Web of the people of Portugal. We defined criteria for delimiting this Web based on our past experience of crawling pages related to Portugal and collected over 3.2 million documents from 46,000 sites satisfying those criteria. Our characterization was derived from this crawl. We describe the rules that we established for defining the boundaries of this community Web and the methodology used to gather statistics. Statistics cover the numb ...

Keywords: Portuguese Web, Web characterization, Web communities, Web measurements

105 Improving interactive performance using TIPME

Yasuhiro Endo, Margo Seltzer

June 2000 ACM SIGMETRICS Performance Evaluation Review, Proceedings of the 2000 ACM SIGMETRICS international conference on Measurement and modeling of computer systems SIGMETRICS '00, Volume 28 Issue 1

Publisher: ACM Press

Full text available: pdf(1.05 MB)

Additional Information: full citation, abstract, references, citings, index terms

On the vast majority of today's computers, the dominant form of computation is GUIbased user interaction. In such an environment, the user's perception is the final arbiter of performance. Human-factors research shows that a user's perception of performance is affected by unexpectedly long delays. However, most performance-tuning techniques currently rely on throughput-sensitive benchmarks. While these techniques improve the average performance of the system, they do littl ...

Keywords: interactive performance, monitoring

106 Geo-coding—an application in a local governmental information system



January 1968 Proceedings of the 1968 23rd ACM national conference

Publisher: ACM Press

Full text available: pdf(1.30 MB) Additional Information: full citation, abstract, references, index terms

Across the nation, local governments of suburban communities surrounding major central cities are facing several basic problems: (1) a tremendous explosion in the development of land that is creating chaos in the record keeping and handling systems of these local governmental entities. This is primarily due to the sheer increase in volume; (2) the increasing population of these suburban areas is becoming more affluent, its tax rates are increasing rapidly, and is expecting more and better g ...

107 Conceptual modeling and metadata: Grid metadata catalog service-based OGC web



registry service

Peisheng Zhao, Aijun Chen, Yang Liu, Liping Di, Wenli Yang, Peichuan Li

November 2004 Proceedings of the 12th annual ACM international workshop on Geographic information systems

Publisher: ACM Press

Full text available: pdf(128.43 KB) Additional Information: full citation, abstract, references, index terms

Grid is a promising e-Science infrastructure that promotes and facilitates the sharing and collaboration in the use of distributed heterogeneous resources through Virtual Organization (VO). A critical factor to the overall utility of Grid is a scalable, flexible and robust registry mechanism. Although it provides some mechanisms to store and access metadata for publishing and discovering resources, such as MCS (Metadata Catalog Service), the Grid registry is inadequate for dealing with domain ...

Keywords: OGC, OWL, catalog, grid, information model, ontology, semantic

108 Portals: toward an application framework for interoperability

Michael Alan Smith

October 2004 Communications of the ACM, Volume 47 Issue 10

Publisher: ACM Press

Full text available: pdf(110.50 KB) * html(27.45 KB)

Additional Information: full citation, abstract, references, index terms

A common portal definition, universal client, and application-support infrastructure would turn the portal concept on its head, eventually shifting control from the information providers to the information consumers.

109 System Administration: Pgfs: The PostGres File System

Brian Bartholomew

October 1997 Linux Journal

Publisher: Specialized Systems Consultants, Inc.

Full text available: html(21.60 KB) Additional Information: full citation, references, index terms

110 Developing domain knowledge through the reuse of project experiences



Scott Henninger

August 1995 ACM SIGSOFT Software Engineering Notes, Proceedings of the 1995 Symposium on Software reusability SSR '95, Volume 20 Issue SI

Publisher: ACM Press

Full text available: pdf(1.27 MB)

Additional Information: full citation, abstract, references, index terms

Software development is no longer a homogenous field. Software is being developed for an increasingly diverse set of applications and user populations, each with different characteristics and development constraints. As a consequence, researchers and practitioners have begun to realize the importance of identifying and understanding the characteristics and special development needs of application domains. This paper presents a method for developing and refining knowledge about application d ...

111 DHT: OpenDHT: a public DHT service and its uses



Sean Rhea, Brighten Godfrey, Brad Karp, John Kubiatowicz, Sylvia Ratnasamy, Scott Shenker, Ion Stoica, Harlan Yu

August 2005 Proceedings of the 2005 conference on Applications, technologies, architectures, and protocols for computer communications SIGCOMM '05

Publisher: ACM Press

Full text available: pdf(535.74 KB) Additional Information: full citation, abstract, references, index terms

Large-scale distributed systems are hard to deploy, and distributed hash tables (DHTs) are no exception. To lower the barriers facing DHT-based applications, we have created a public DHT service called OpenDHT. Designing a DHT that can be widely shared, both among mutually untrusting clients and among a variety of applications, poses two distinct challenges. First, there must be adequate control over storage allocation so that greedy or malicious clients do not use more than their fair share. Se ...

Keywords: distributed hash table, peer-to-peer, resource allocation

112 Impact of software engineering research on the practice of software configuration



<u>management</u>

Jacky Estublier, David Leblang, André van der Hoek, Reidar Conradi, Geoffrey Clemm, Walter Tichy, Darcy Wiborg-Weber

October 2005 ACM Transactions on Software Engineering and Methodology (TOSEM), Volume 14 Issue 4

Publisher: ACM Press

Full text available: pdf(350.59 KB) Additional Information: full citation, abstract, references, index terms

Software Configuration Management (SCM) is an important discipline in professional software development and maintenance. The importance of SCM has increased as programs have become larger, more long lasting, and more mission and life critical. This article discusses the evolution of SCM technology from the early days of software development to the present, with a particular emphasis on the impact that university and industrial research has had along the way. Based on an analysis of the publicati ...

Keywords: Versioning, data model, process support, research impact, software configuration management, software engineering, workspace management

113 Research session: data warehousing and archive: An adaptive peer-to-peer network





for distributed caching of OLAP results

Panos Kalnis, Wee Siong Ng, Beng Chin Ooi, Dimitris Papadias, Kian-Lee Tan June 2002 Proceedings of the 2002 ACM SIGMOD international conference on Management of data SIGMOD '02

Publisher: ACM Press

Full text available: pdf(1.37 MB)

Additional Information: full citation, abstract, references, citings, index

Peer-to-Peer (P2P) systems are becoming increasingly popular as they enable users to exchange digital information by participating in complex networks. Such systems are inexpensive, easy to use, highly scalable and do not require central administration. Despite their advantages, however, limited work has been done on employing database systems on top of P2P networks. Here we propose the PeerOLAP architecture for supporting On-Line Analytical Processing queries. A large number low-end clients, eac ...

114 Hypermedia semantics: Finding the story: broader applicability of semantics and





discourse for hypermedia generation

Lloyd Rutledge, Martin Alberink, Rogier Brussee, Stanislav Pokraev, William van Dieten, Mettina Veenstra

August 2003 Proceedings of the fourteenth ACM conference on Hypertext and hypermedia

Publisher: ACM Press


Full text available: pdf(396.48 KB)

Additional Information: full citation, abstract, references, citings, index terms

Generating hypermedia presentations requires processing constituent material into coherent, unified presentations. One large challenge is creating a generic process for producing hypermedia presentations from the semantics of potentially unfamiliar domains. The resulting presentations must both respect the underlying semantics and appear as coherent, plausible and, if possible, pleasant to the user. Among the related unsolved problems is the inclusion of discourse knowledge in the generation pro ...

Keywords: RDF, SMIL, clustering, concept lattices, discourse, hypermedia, narrative. semantics

115 Programming languages for mobile code



September 1997 ACM Computing Surveys (CSUR), Volume 29 Issue 3

Publisher: ACM Press

Full text available: pdf(393.65 KB)

Additional Information: full citation, abstract, references, citings, index

terms, review

Sun's announcement of the programming language Java more that anything popularized the notion of mobile code, that is, programs traveling on a heterogeneous network and automatically executing upon arrival at the destination. We describe several classes of mobile code and extract their common characteristics, where security proves to be one of the major concerns. With these characteristics as reference points, we examine six representative languages proposed for mobile code. The conclusion ...

Keywords: Java, Limbo, Objective Caml, Obliq, Safe-Tcl, distribution, formal methods, mobile code, network programming, object orientation, portability, safety, security, telescript

116 Ada reuse in application architectures: a look back at BLSM and forward to ITV-MOD



Bret A. Senters

November 1995 Proceedings of the conference on TRI-Ada '95: Ada's role in global markets: solutions for a changing complex world

Publisher: ACM Press

Full text available: pdf(2.17 MB) Additional Information: full citation, references

117 A web query system for heterogeneous government data

Nancy Wiegand, Naijun Zhou, Isabel F. Cruz, William Sunna


May 2004 Proceedings of the 2004 annual national conference on Digital government research dq.o '04

Publisher: Digital Government Research Center

Full text available: pdf(97.16 KB) Additional Information: full citation, abstract, references

This paper describes a Web-based query system for semantically heterogeneous government-produced data. Geospatial Web-based information systems and portals are currently being developed by various levels of government along with the GIS community. Typically, these sites provide data discovery and download capabilities but do not include the ability to pose DBMS type queries. One of the main problems in querying distributed government data sources is the difference in semantics used by various jur ...

118 APL and robotics



May 1985 ACM SIGAPL APL Quote Quad, Proceedings of the international conference on APL: APL and the future APL '85, Volume 15 Issue 4

Publisher: ACM Press


Full text available: pdf(1.36 MB)

Additional Information: full citation, abstract, references, citings, index terms

Program execution speeds on today's general purpose APL running computers do not allow APL to be used as a Robot control language, this execution speed problem will go away with faster and better processors. This paper presents an attempt to make APL work

for Robotics with today's technology. The basic concept is quite simple: Leave to APL what it can do in real time and have another computer running a faster language do the rest. This allows for APL program development until the ...

119 A survey of current object-oriented databases



February 1995 ACM SIGMIS Database, Volume 26 Issue 1

Publisher: ACM Press

Full text available: pdf(1.44 MB) Additional Information: full citation, abstract, citings, index terms

Object-oriented concepts form a good basis for the data models required for nextgeneration database applications such as CAD/CAE/CASE/CAM systems, knowledge-based systems, multimedia, etc. Many object-oriented databases are available commercially or are being developed by industry or academic research facilities. This paper attempts to compare some of these products using fourteen criteria. The selected criteria are major factors required for the successful design of an object-oriented database ...

Keywords: OOD-BMS survey, object-oriented database, object-oriented terminology

120 Process migration

Dejan S. Milojičić, Fred Douglis, Yves Paindaveine, Richard Wheeler, Songnian Zhou September 2000 ACM Computing Surveys (CSUR), Volume 32 Issue 3

Publisher: ACM Press

Additional Information: full citation, abstract, references, citings, index Full text available: R pdf(1.24 MB) terms, review

Process migration is the act of transferring a process between two machines. It enables dynamic load distribution, fault resilience, eased system administration, and data access locality. Despite these goals and ongoing research efforts, migration has not achieved widespread use. With the increasing deployment of distributed systems in general, and distributed operating systems in particular, process migration is again receiving more attention in both research and product development. As hi ...

Keywords: distributed operating systems, distributed systems, load distribution, process migration

Results 101 - 120 of 169 Result page: <u>previous</u> <u>1</u> <u>2</u> <u>3</u> <u>4</u> <u>5</u> **6** <u>7</u> <u>8</u> <u>9</u>

The ACM Portal is published by the Association for Computing Machinery. Copyright ?2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player



Subscribe (Full Service) Register (Limited Service, Free) Login

Search:

The ACM Digital Library O The Guide

+client +business +components +search +index +identifier +f





THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used client business components search index identifier file

Found 169 of 176,279





Try an Advanced Search Try this search in The ACM Guide

Results 121 - 140 of 169

Result page: <u>previous</u> <u>1</u> <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> **7** <u>8</u> <u>9</u> next

Relevance scale 🔲 📟 📟 🐯

121 Automatic personalization based on Web usage mining



Bamshad Mobasher, Robert Cooley, Jaideep Srivastava August 2000 Communications of the ACM, Volume 43 Issue 8


Publisher: ACM Press

html(49.24 KB)

Full text available: pdf(2.62 MB) Additional Information: full citation, references, citings, index terms

122 Information delivery systems in the 1990's: the Local INtegrated Knowledge NETwork





Detmar W. Straub, Cynthia Mathis Beath

September 1990 ACM SIGMIS Database, Volume 21 Issue 1

Publisher: ACM Press

Full text available: pdf(1.29 MB)

Additional Information: full citation, abstract, citings, index terms

In the late 80's, managers, professionals, analysts, and researchers are finding it increasingly difficult to manage the vast array of data and text that are available to them. The fragmentation in media and sources of information, and discontinuities between the information bureaucracies, particularly Information Systems and the library, hinder ready access to information. In the future, this paper argues, a department-level Local INtegrated Knowledge NETwork (LINKNET), will help individuals lo ...

123 Report on the seventh ACM SIGOPS European workshop: systems support for





worldwide applications Andrew S. Tanenbaum

January 1997 ACM SIGOPS Operating Systems Review, Volume 31 Issue 1

Publisher: ACM Press

Full text available: pdf(923.32 KB) Additional Information: full citation, index terms

124 Discovering Internet marketing intelligence through online analytical web usage





🙈 mining

Alex G. Büchner, Maurice D. Mulvenna December 1998 ACM SIGMOD Record, Volume 27 Issue 4 Publisher: ACM Press

Full text available: 📆 pdf(772.06 KB) Additional Information: full citation, abstract, citings, index terms

This article describes a novel way of combining data mining techniques on Internet data in order to discover actionable marketing intelligence in electronic commerce scenarios. The data that is considered not only covers various types of server and web meta information, but also marketing data and knowledge. Furthermore, heterogeneity resolution thereof and Internet- and electronic commerce-specific pre-processing activities are embedded. A generic web log data hypercube is formally defined ...

125 Legal, ethical, and societal issues in e-commerce: A United States perspective on the



ethical and legal issues of spyware

Janice C. Sipior, Burke T. Ward, Georgina R. Roselli

August 2005 Proceedings of the 7th international conference on Electronic commerce ICEC '05

Publisher: ACM Press

Full text available: pdf(320.11 KB) Additional Information: full citation, abstract, references, index terms

Spyware is regarded as the largest threat to internet users since spam, yet most users do not even know spyware is on their personal computers. Ethical and legal concerns associated with spyware call for a response. A balance must be found between legitimate interests of spyware installers, who have obtained informed consent of users who accept advertisements or other marketing devices, and users who are unwitting targets. Currently, there is not widespread awareness or understanding of the exis ...

Keywords: ethics, law, privacy, spyware, trespass

126 The CHI '95 conference electronic publication: introduction to an experiment



Robert Mack, Linn Marks, Dave Collins, Keith Instone April 1996 ACM SIGCHI Bulletin, Volume 28 Issue 2

Publisher: ACM Press

Full text available: pdf(1.57 MB) Additional Information: full citation, index terms

127 Querying office systems about document roles





A. Celentano, M. G. Fugini, S. Pozzi

September 1991 Proceedings of the 14th annual international ACM SIGIR conference on Research and development in information retrieval

Publisher: ACM Press

Full text available: pdf(798.92 KB) Additional Information: full citation, references, citings, index terms

128 Window real objects: a distributed shared memory for distributed implementation of





GUI applications

Noboru Koshizuka, Ken Sakamura

December 1993 Proceedings of the 6th annual ACM symposium on User interface software and technology

Publisher: ACM Press

Full text available: pdf(1.31 MB)

Additional Information: full citation, references, index terms

Keywords: BTRON, distributed shared memory, graphical user interface, multiuser interface, parallel programming, window system

129 Class management for software communities

Simon Gibbs, Eduardo Casais, Oscar Nierstrasz, X. Pintado, Dennis Tsichritzis September 1990 Communications of the ACM, Volume 33 Issue 9

Publisher: ACM Press

Fuli text available: pdf(2.01 MB)

Additional Information: full citation, abstract, references, citings, index terms, review

Object-oriented programming may engender an approach to software development characterized by the large-scale reuse of object classes. Large-scale reuse is the use of a class not just by its original developers, but by other developers who may be from other organizations, and may use the classes over a long period of time. Our hypothesis is that the successful dissemination and reuse of classes requires a well-organized community of developers who are ready to share ideas, methods, tools an ...

130 Difficulties in simulating the internet

Sally Floyd, Vern Paxson

August 2001 IEEE/ACM Transactions on Networking (TON), Volume 9 Issue 4

Publisher: IEEE Press


Full text available: pdf(111.73 KB)

Additional Information: full citation, abstract, references, citings, index terms, review

Simulating how the global Internet behaves is an immensely challenging undertaking because of the network's great heterogeneity and rapid change. The heterogeneity ranges from the individual links that carry the network's traffic, to the protocols that interoperate over the links, the "mix" of different applications used at a site, and the levels of congestion seen on different links. We discuss two key strategies for developing meaningful simulations in the face of these difficulties: searching ...

Keywords: Internet, modeling, simulation

131 Student tracking and personalization: Personalization in distributed e-learning



Peter Dolog, Nicola Henze, Wolfgang Nejdl, Michael Sintek

May 2004 Proceedings of the 13th international World Wide Web conference on Alternate track papers & posters

Publisher: ACM Press

Full text available: pdf(328.49 KB)

Additional Information: full citation, abstract, references, citings, index terms

Personalized support for learners becomes even more important, when e-Learning takes place in open and dynamic learning and information networks. This paper shows how to realize personalized learning support in distributed learning environments based on Semantic Web technologies. Our approach fills the existing gap between current adaptive educational systems with well-established personalization functionality, and open, dynamic learning repository networks. We propose a service-based architectu ...

Keywords: P2P, adaptation, learning repositories, ontologies, personalization, standards, web services

132 Toward a statistical knowledge network

Gary Marchionini, Stephanie Haas, Catherine Plaisant, Ben Shneiderman, Carol Hert May 2003 Proceedings of the 2003 annual national conference on Digital government research dg.o '03



Publisher: Digital Government Research Center

Full text available: pdf(138.26 KB) Additional Information: full citation, abstract, references

This paper describes an architecture for a statistical knowledge network that depends on user interfaces as the glue among the components. These interfaces aim to serve nonexpert users with diverse needs and statistical and computing experiences. Such interfaces are crucially dependent on different indexing schemes and good metadata.

133 IBM's relational DBMS products: features and technologies



C. Mohan

June 1993 ACM SIGMOD Record, Proceedings of the 1993 ACM SIGMOD international conference on Management of data SIGMOD '93, Volume 22 Issue 2

Publisher: ACM Press

Full text available: pdf(535.42 KB)

Additional Information: full citation, abstract, references, citings, index terms

This paper very briefly summarizes the features and technologies implemented in the IBM relational DBMS products. The topics covered include record and index management, concurrency control and recovery methods, commit protocols, query optimization and execution techniques, high availability and support for parallelism and distributed data. Some indications of likely future product directions are also given.

134 Poster papers: Discovery net: towards a grid of knowledge discovery



V. Ćurčin, M. Ghanem, Y. Guo, M. Köhler, A. Rowe, J. Syed, P. Wendel

July 2002 Proceedings of the eighth ACM SIGKDD international conference on Knowledge discovery and data mining

Publisher: ACM Press

Full text available: pdf(656,11 KB)

Additional Information: full citation, abstract, references, citings, index terms

This paper provides a blueprint for constructing collaborative and distributed knowledge discovery systems within Grid-based computing environments. The need for such systems is driven by the quest for sharing knowledge, information and computing resources within the boundaries of single large distributed organisations or within complex Virtual Organisations (VO) created to tackle specific projects. The proposed architecture is built on top of a resource federation management layer and is compos ...

135 Data replicas in distributed information services





H. M. Gladney

March 1989 ACM Transactions on Database Systems (TODS), Volume 14 Issue 1

Publisher: ACM Press

Full text available: pdf(1.94 MB)

Additional Information: full citation, abstract, references, index terms, review

In an information distribution network in which records are repeatedly read, it is costeffective to keep read-only copies in work locations. This paper presents a method of updating replicas that need not be immediately synchronized with the source data or with each other. The method allows an arbitrary mapping from source records to replica records. It is fail-safe, maximizes workstation autonomy, and is well suited to a network with slow, unreliable, and/or expensive communications links ...

136 Collection development in the electronic library



Kristin Antelman, David Langenberg

November 1993 Proceedings of the 21st annual ACM SIGUCCS conference on User services

Publisher: ACM Press

Full text available: pdf(728.69 KB) Additional Information: full citation, references, index terms

137 An N-dimensional data structure in support of electronic data interchange (EDI)





translation

Georges Brigham, Edward Shaw

July 1991 ACM SIGAPL APL Quote Quad, Proceedings of the international conference on APL '91 APL '91, Volume 21 Issue 4

Publisher: ACM Press

Full text available: pdf(761.14 KB)

Additional Information: full citation, abstract, references, citings, index terms

A method is described by which data in a database system are named using sets. The sets exist in an n-dimensional data space in which each axis represents a homogeneous set and all axes (sets) are orthogonal. Data are represented as mathematical functions of relationships between the sets. Data are named using an ordered combination of the names of the sets. An executable language is used to describe relationships between the sets and to query the database. This methodology lends itself quite co ...

138 Implementing role based access control for federated information systems on the



web

Kerry Taylor, James Murty

January 2003 Proceedings of the Australasian information security workshop conference on ACSW frontiers 2003 - Volume 21 CRPITS '03

Publisher: Australian Computer Society, Inc.

Full text available: pdf(217.89 KB)

Additional Information: full citation, abstract, references, citings, index terms

There is rapidly increasing interest in Australia in on-line sharing of information stored in corporate databases, especially within and between staff of independent government agencies. Biological collections databases and population health GIS are good examples of the frequent situation where database custodians are looking for dynamic, distributed, heterogenous federated information system models for information sharing within loosely constituted communities. This paper describes a security m ...

Keywords: RBAC, federated databases

139 Vertical profiling: understanding the behavior of object-priented applications



Matthias Hauswirth, Peter F. Sweeney, Amer Diwan, Michael Hind

October 2004 ACM SIGPLAN Notices, Proceedings of the 19th annual ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications OOPSLA '04, Volume 39 Issue 10

Publisher: ACM Press

Full text available: pdf(1.16 MB)

Additional Information: full citation, abstract, references, citings, index terms

Object-oriented programming languages provide a rich set of features that provide significant software engineering benefits. The increased productivity provided by these features comes at a justifiable cost in a more sophisticated runtime system whose responsibility is to implement these features efficiently. However, the virtualization introduced by this sophistication provides a significant challenge to understanding complete system performance, not found in traditionally compiled languages ...

Keywords: hardware performance monitors, perturbation, software performance monitors, vertical profiling, whole-system analysis

140 Activeweb: XML-based active rules for web view derivations and access control Hidenari Kiyomitsu, Atsunori Takeuchi, Katsumi Tanaka



January 2001 Australian Computer Science Communications, Proceedings of the workshop on Information technology for virtual enterprises ITVE '01, Proceedings of the workshop on Information technology for virtual enterprises ITVE '01, Volume 23 Issue 6

Publisher: IEEE Computer Society, IEEE Computer Society, IEEE Computer Society Press

Full text available: pdf(905.05 KB)

Additional Information: full citation, abstract, references

In this paper, we propose an idea of using XML-based active rules for deriving Web views and for defining access control by user access behaviors. The major objective of the proposed method is to reflect author(creator)'s intention about his/her Web data and its link structures. In our ActiveWeb, the view of a Web page including its hyperlinks is changed according to each user's browsing situation including access history or the aggregated information about all users' access histories. In ...

Keywords: ECA rules, XML, activeweb, internet application, spatio-temporal, web personalization, web views

Results 121 - 140 of 169

Result page: previous $\underline{1}$ $\underline{2}$ $\underline{3}$ $\underline{4}$ $\underline{5}$ $\underline{6}$ $\underline{7}$ $\underline{8}$ $\underline{9}$ \underline{next}

The ACM Portal is published by the Association for Computing Machinery, Copyright ?2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Mindows Media Player Real Player



Subscribe (Full Service) Register (Limited Service, Free) Login

Search:
The ACM Digital Library O The Guide

+client +business +components +search +index +identifier +i





THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survev

Terms used client business components search index identifier file

Found 169 of 176,279





Try an Advanced Search Try this search in The ACM Guide

Results 141 - 160 of 169

Result page: previous 1 2 3 4 5 6 7 **8** 9

Relevance scale 🔲 📟 📟 📟

141 Information access and retrieval (IAR): InfoFilter: a system for expressive pattern

specification and detection over text streams Laali Elkhalifa, Raman Adaikkalavan, Sharma Chakravarthy

March 2005 Proceedings of the 2005 ACM symposium on Applied computing SAC '05

Publisher: ACM Press

Full text available: 📆 pdf(124.11 KB) Additional Information: full citation, abstract, references

Information filtering includes monitoring text streams to detect patterns that are more complex than those handled by search engines. Text stream monitoring and pattern detection have far reaching applications such as tracking information flow among terrorist outfits, web parental control, and business intelligence. Pattern characterization requirements of applications entail an expressive language for specifying patterns than what is currently provided by Information Retrieval Query Languages (...

142 Library science education in the online environment



Sheila S. Intner

April 1987 ACM SIGCUE Outlook, Volume 19 Issue 3-4

Publisher: ACM Press

Full text available: pdf(973.15 KB) Additional Information: full citation

143 Structuring internet media streams with cueing protocols

Jack Brassil, Henning Schulzrinne

August 2002 IEEE/ACM Transactions on Networking (TON), Volume 10 Issue 4

Publisher: IEEE Press

Full text available: pdf(282.39 KB)

Additional Information: full citation, abstract, references, citings, index terms

We propose a new, media-independent protocol for including program timing, structure, and identity information in Internet media streams. The protocol uses signaling messages called cues to indicate events whose timing is significant to receivers, such as the start or stop time of a media program. We describe the implementation and operation of a prototype Internet radio station which transmits program cues in audio broadcasts using the Real-Time Transport Protocol (RTP). A collection of ...

Keywords: content delivery networks, multimedia signaling, real-time transport protocol

(RTP)

144 Identification control: Public key distribution through "cryptoIDs"



Trevor Perrin

August 2003 Proceedings of the 2003 workshop on New security paradigms

Publisher: ACM Press

Full text available: pdf(1.51 MB) Additional Information: full citation, abstract, references, index terms

In this paper, we argue that person-to-person key distribution is best accomplished with a key-centric approach, instead of PKI: users should distribute public key fingerprints in the same way they distribute phone numbers, postal addresses, and the like. To make this work, fingerprints need to be small, so users can handle them easily; multipurpose, so only a single fingerprint is needed for each user; and long-lived, so fingerprints don't have to be frequently redistribute ...

Keywords: cryptoIDs, fingerprints, key distribution, key management, public key infrastructure

145 Effective Web data extraction with standard XML technologies





Jussi Myllymaki

April 2001 Proceedings of the 10th international conference on World Wide Web

Publisher: ACM Press

Full text available: pdf(198.81 KB) Additional Information: full citation, references, citings, index terms

Keywords: crawling, data extraction, deep Web, semistructured data, wrappers

146 Surveys: Integration of biological sources: current systems and challenges ahead Thomas Hernandez, Subbarao Kambhampati



September 2004 ACM SIGMOD Record, Volume 33 Issue 3

Publisher: ACM Press

Full text available: Pdf(78.41 KB) Additional Information: full citation, abstract, references

This paper surveys the area of biological and genomic sources integration, which has recently become a major focus of the data integration research field. The challenges that an integration system for biological sources must face are due to several factors such as the variety and amount of data available, the representational heterogeneity of the data in the different sources, and the autonomy and differing capabilities of the sources.

This survey describes the main integration approac ...

147 An interview with Roy Sykes



Ray Polivka

June 2001 ACM SIGAPL APL Quote Quad, Volume 31 Issue 4

Publisher: ACM Press

Full text available: pdf(1.25 MB)

Additional Information: full citation, abstract

An interview with Roy Sykes at APL99.

148 System Administration

Jarra Voleynik, Anna Voleynik

November 1999

Linux Journal

Publisher: Specialized Systems Consultants, Inc.

Full text available: (A) html(31.59 KB) Additional Information: full citation, abstract, references, index terms

EMU--Event Management Utility: The authors present a freely available tool for monitoring enterprise systems through simplicity toward complexity

149 Research sessions: potpourri: Mining database structure; or, how to build a data



<u>quality browser</u>

Tamraparni Dasu, Theodore Johnson, S. Muthukrishnan, Vladislav Shkapenyuk June 2002 Proceedings of the 2002 ACM SIGMOD international conference on Management of data SIGMOD '02

Publisher: ACM Press

Full text available: pdf(1.21 MB)

Additional Information: full citation, abstract, references, citings, index terms

Data mining research typically assumes that the data to be analyzed has been identified, gathered, cleaned, and processed into a convenient form. While data mining tools greatly enhance the ability of the analyst to make data-driven discoveries, most of the time spent in performing an analysis is spent in data identification, gathering, cleaning and processing the data. Similarly, schema mapping tools have been developed to help automate the task of using legacy or federated data sources for a n ...

150 The next 700 data description languages



Kathleen Fisher, Yitzhak Mandelbaum, David Walker

January 2006 ACM SIGPLAN Notices, Conference record of the 33rd ACM SIGPLAN-SIGACT symposium on Principles of programming languages POPL '06, Volume 41 Issue 1

Publisher: ACM Press

Full text available: pdf(1.24 MB) Additional Information: full citation, abstract, references, index terms

In the spirit of Landin, we present a calculus of dependent types to serve as the semantic foundation for a family of languages called data description languages. Such languages, which include pads, datascript, and packettypes, are designed to facilitate programming with ad hoc data, ie, data not in well-behaved relational or xml formats. In the calculus, each type describes the physical layout and semantic properties of a data source. In the sem ...

Keywords: data description language, dependent types, domain-specific languages

151 Using information technology to integrate social and ethical issues into the computer science and information systems curriculum: report of the ITiCSE '97 working group on social and ethical issues in computing curricula



Publisher: ACM Press

Full text available: pdf(1.27 MB)

Additional Information: full citation, abstract, references, citings, index terms

This report presents the results of a collaborative working group activity focusing on the use of information technology (IT) to integrate social and ethical issues within computer science or information systems courses. The report provides an organizational approach for classifying exercises, based on the issue each one addresses and the course or courses in which it may fit. The exercises in this report are classified by the information technology to be used and the course or courses addressed ...

152 Using information technology to integrate social and ethical issues into the computer science and information systems curriculum (report of the ITiCSE '97 working group



on social and ethical issue in computing curricula)

Mary J. Granger, Joyce Currie Little, Elizabeth S. Adams, Christina Björkman, Don Gotterbarn, Diana D. Juettner, C. Dianne Martin, Frank H. Young

June 1997 The supplemental proceedings of the conference on Integrating technology into computer science education: working group reports and supplemental proceedings

Publisher: ACM Press

Full text available: pdf(73.18 KB) Additional Information: full citation, references, citings, index terms

153 Design of a high-performance ATM firewall



Jun Xu, Mukesh Singhal

August 1999 ACM Transactions on Information and System Security (TISSEC), Volume 2 Issue 3

Publisher: ACM Press

Full text available: pdf(143.19 KB) Additional Information: full citation, abstract, references, index terms

A router-based packet-filtering firewall is an effective way of protecting an enterprise network from unauthorized access. However, it will not work efficiently in an ATM network because it requires the termination of end-to-end ATM connections at a packet-filtering router, which incurs huge overhead of SAR (Segmentation and Reassembly). Very few approaches to this problem have been proposed in the literature, and none is completely satisfactory. In this paper we present the hardware desig ...

Keywords: TCP/IP, asynchronous transfer mode, firewall, packet filtering, switch architecture

154 Visualizing packet traces



John A. Zinky, Fredric M. White

October 1992 ACM SIGCOMM Computer Communication Review, Conference proceedings on Communications architectures & protocols SIGCOMM **'92**, Volume 22 Issue 4

Publisher: ACM Press

Full text available: pdf(1.34 MB) Additional Information: full citation, abstract, references, index terms

This paper describes an environment for visualizing packet traces that greatly simplifies troubleshooting protocol implementations. Network management centers routinely collect packet traces to tally traffic statistics and to troubleshoot protocol configuration and implementation problems. Previous efforts have focused on the reliable collection of traces and their statistical interpretation. Display of packet traces was restricted to a textual representation of the raw headers. Our prototy ...

155 Ethical issues related to internet development and research



M. Dee Medley, Rebecca H. Rutherfoord, G. Ernest Anderson, R. Waldo Roth, Stuart A. Varden

December 1998 Working Group reports of the 3rd annual SIGCSE/SIGCUE ITICSE conference on Integrating technology into computer science education

Publisher: ACM Press

Full text available: pdf(77.36 KB) Additional Information: full citation, references, index terms

156 Papers from Hotnets-II: Unmanaged Internet Protocol: taming the edge network



management crisis

Brvan Ford

January 2004 ACM SIGCOMM Computer Communication Review, Volume 34 Issue 1

Publisher: ACM Press

Full text available: To pdf(278.18 KB) Additional Information: full citation, abstract, references

Though appropriate for core Internet infrastructure, the Internet Protocol is unsuited to routing within and between emerging ad-hoc edge networks due to its dependence on hierarchical, administratively assigned addresses. Existing ad-hoc routing protocols address the management problem but do not scale to Internet-wide networks. The promise of ubiquitous network computing cannot be fulfilled until we develop an Unmanaged Internet Protocol (UIP), a scalable routing protocol that manages i ...

157 Multimedia and visualization (MV): Exploring an open, distributed multimedia framework to design and develop an adaptive middleware for interactive digital television systems



Full text available: pdf(131.12 KB) Additional Information: full citation, abstract, references, index terms

Interactive digital television systems should provide concepts of middleware for harmonizing and abstracting discrepancies related to hardware and operating systems issues. In such a context, this paper explores a framework for configuration and management of open, distributed multimedia systems with the purpose of designing and developing a component-based adaptive middleware for interactive digital television systems, which incorporates mechanisms for specification, configuration, management a ...

Keywords: adaptive middleware, digital television, software components

158 An analysis of database workload performance on simultaneous multithreaded



processors

Jack L. Lo, Luiz André Barroso, Susan J. Eggers, Kourosh Gharachorloo, Henry M. Levy, Sujay S. Parekh

April 1998 ACM SIGARCH Computer Architecture News, Proceedings of the 25th annual international symposium on Computer architecture ISCA '98, Volume 26 Issue 3

Publisher: IEEE Computer Society, ACM Press

Full text available: pdf(1.57 MB) Additional Information: full citation, abstract, references, citings, index terms Publisher Site

Simultaneous multithreading (SMT) is an architectural technique in which the processor issues multiple instructions from multiple threads each cycle. While SMT has been shown to be effective on scientific workloads, its performance on database systems is still an open question. In particular, database systems have poor cache performance, and the addition of multithreading has the potential to exacerbate cache conflicts. This paper examines database performance on SMT processors using traces of th ...

159 Computer networks: Creating a topic map query tool for mobile devices using J2ME and XML



Stefan Seedorf, Axel Korthaus, Markus Aleksy

January 2005 Proceedings of the 4th international symposium on Information and communication technologies WISICT '05

Publisher: Trinity College Dublin

Full text available: pdf(136.93 KB) Additional Information: full citation, abstract, references

Most of today's enterprises conduct knowledge management initiatives for achieving competitive advantage. Information technology plays a key role in codifying knowledge and distributing it throughout the organization. However, the utilization of mobile technology for supporting knowledge management has been largely overlooked so far. As mobile devices are becoming increasingly powerful and ubiquitous, new possibilities to realize fully integrated knowledge management processes are created. This ...

160 Attacking passwords and bringing down the network: Exploiting open functionality in





SMS-capable cellular networks

William Enck, Patrick Traynor, Patrick McDaniel, Thomas La Porta November 2005 Proceedings of the 12th ACM conference on Computer and

communications security CCS '05

Publisher: ACM Press

Full text available: pdf(611.26 KB) Additional Information: full citation, abstract, references, index terms

Cellular networks are a critical component of the economic and social infrastructures in which we live. In addition to voice services, these networks deliver alphanumeric text messages to the vast majority of wireless subscribers. To encourage the expansion of this new service, telecommunications companies offer connections between their networks and the Internet. The ramifications of such connections, however, have not been fully recognized. In this paper, we evaluate the security impact of the ...

Keywords: denial-of-service, open-functionality, sms, telecommunications

Results 141 - 160 of 169

Result page: previous 1 2 3 4 5 6 7 **8** 9

The ACM Portal is published by the Association for Computing Machinery. Copyright ?2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Mindows Media Player



Subscribe (Full Service) Register (Limited Service, Free) Login

Search:

The ACM Digital Library O The Guide

+client +business +components +search +index +identifier +i



THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used client business components search index identifier file

Found 169 of 176,279

Sort results by relevance Display results expanded form

Save results to a Binder Search Tips ☐ Open results in a new

Try an Advanced Search Try this search in The ACM Guide

Results 161 - 169 of 169

Result page: <u>previous</u> <u>1</u> <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> **9**

Relevance scale 🔲 📟 📟 📟

161 Accessibility of Internet websites through time

Stephanie Hackett, Bambang Parmanto, Xiaoming Zeng

window

September 2003 ACM SIGACCESS Accessibility and Computing, Proceedings of the 6th international ACM SIGACCESS conference on Computers and accessibility Assets '04, Issue 77-78

Publisher: ACM Press

Full text available: pdf(914.16 KB)

Additional Information: full citation, abstract, references, citings, index

Using Internet Archive's Wayback Machine, a random sample of websites from 1997-2002 were retrospectively analyzed for effects that technology has on accessibility for persons with disabilities and compared to government websites. Analysis of Variance (ANOVA) and Tukey's HSD were used to determine differences among years. Random websites become progressively inaccessible through the years (p<0.0001) [as shown by increasing Web Accessibility Barrier (WAB) scores], while complexity of the w ...

Keywords: internet archive, web accessibility, world wide web

162 Designing the PDA of the future

Aaron Marcus, Eugene Chen

January 2002 interactions, Volume 9 Issue 1

Publisher: ACM Press

4 html(39.80 KB)

Full text available: pdf(694.37 KB) Additional Information: full citation, abstract, references, citings, index

In this article, Aaron Marcus and Associates (AM+A) describes a project with Samsung Electronics to design user-interface concepts for the future of wireless devices. AM+A conducted extensive research, including contextual observation, then designed a suite of product ideas that Samsung could incorporate into specific products over the next few years. Samsung also acquired knowledge about the user-interface development process. AM+A sought to design usable as well as useful mobile devices that c ...

163 Session 10C: information sharing: Channeled multicast for group communications

Paolo Busetta, Antonia Donà, Michele Nori

July 2002 Proceedings of the first international joint conference on Autonomous agents and multiagent systems: part 3

Publisher: ACM Press

Full text available: pdf(153.01 KB)

Additional Information: full citation, abstract, references, citings, index terms

Multi-agent systems can benefit from the possibility of broadcasting messages to a wide audience. The audience may include overhearing agents which, unknown to senders, observe conversations and, among other things, pro-actively send suggestions. Current mainstream agent communication languages however lack adequate support for broadcasting. This paper defines the requirements for a form of broadcast that we call channeled multicast, whose distinguishing features include the ability to di ...

Keywords: agent communication languages, auction protocols, broadcasting, group communications, multicasting, overhearing

164 How to make AXIOM into a scratchpad

Richard D. Jenks, Barry M. Trager

August 1994 Proceedings of the international symposium on Symbolic and algebraic computation

Publisher: ACM Press

Full text available: pdf(1.01 MB) Additional Information: full citation, references, index terms

165 Understanding internet topology: principles, models, and validation

David Alderson, Lun Li, Walter Willinger, John C. Doyle

December 2005 IEEE/ACM Transactions on Networking (TON), Volume 13 Issue 6

Publisher: IEEE Press

Full text available: pdf(1.13 MB)

Additional Information: full citation, abstract, references, index terms

Building on a recent effort that combines a first-principles approach to modeling routerlevel connectivity with a more pragmatic use of statistics and graph theory, we show in this paper that for the Internet, an improved understanding of its physical infrastructure is possible by viewing the physical connectivity as an annotated graph that delivers raw connectivity and bandwidth to the upper layers in the TCP/IP protocol stack, subject to practical constraints (e.g., router technology) and eco ...

Keywords: degree-based generators, heuristically optimal topology, network design, network topology, router configuration, topology metrics

166 Benchmarking simple database operations

W. B. Rubenstein, M. S. Kubicar, R. G. G. Cattell

December 1987 ACM SIGMOD Record, Proceedings of the 1987 ACM SIGMOD international conference on Management of data SIGMOD '87, Volume

16 Issue 3

Publisher: ACM Press

Full text available: pdf(891.43 KB)

Additional Information: full citation, abstract, references, citings, index terms

There are two widely-known benchmarks for database management systems the TP1 benchmarks (Anon et al [1985]), designed to measure transaction throughout, and the Wisconsin benchmarks (Bitton, Dewitt, & Turbyfil [1984]), designed to measure the performance of a relational query processor. In our work with databases on engineering workstations, we found neither of these benchmarks a suitable measure for our applications' needs. Instead, our requirements are for re ...

167



Strategic IT applications in health care

Wullianallur Raghupathi, Joseph Tan

December 2002 Communications of the ACM, Volume 45 Issue 12

Publisher: ACM Press

Full text available: pdf(123.82 KB)

(31.29 KB)

Additional Information: full citation, references, citings, index terms



Nancy K. Wiegand, Teresa M. Adams

September 1994 ACM SIGAPP Applied Computing Review, Volume 2 Issue 2

Publisher: ACM Press

Full text available: Phot(553.69 KB) Additional Information: full citation, abstract, index terms

An application developer's perspective is used to compare modeling and storage in two Object-Oriented Database Management Systems (OODBMSs): ODE (Object Database and Environment) and ObjectStore. Although both systems are based on the object-oriented language C++, differences exist in their OODBMS designs. Comparing the differences between these two systems provides insight into other possible designs or combinations of features that could be possible in an OODBMS. As part of this discussion, in ...

Keywords: application development, database management systems, logical database design, object-oriented database management systems, physical database design

169 Terminology management as data management

Rita Granda, Kara Warburton

November 2001 Proceedings of the 2001 conference of the Centre for Advanced Studies on Collaborative research

Publisher: IBM Press

Full text available: pdf(135.72 KB) Additional Information: full citation, abstract, references, index terms

This paper will demonstrate why terminology should be viewed and managed as a data resource rather than a text resource. We will describe progressive terminology management practices and their benefits to corporate knowledge management.

Results 161 - 169 of 169

Result page: <u>previous</u> <u>1</u> <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> **9**

The ACM Portal is published by the Association for Computing Machinery. Copyright ?2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Woundows Media Player

Real Player

